Number and Quantity: The Real Number System (N-RN)

Extend the properties of exponents to rational exponents.

Extend the proper		exponents to rati			
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.N-RN.A.1. Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. For example, we define $5^{1/3}$ to be the cube root of 5 because we want $(5^{1/3})^3 = 5^{(1/3)3}$ to hold, so $(5^{1/3})^3$ must equal 5 . Connections: 11 - 12 .RST. 4 ; 11 - 12 .RST. 9 ; 11 - 12 .WHST. $2d$	AII	HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others.			
HS.N-RN.A.2. Rewrite expressions involving radicals and rational exponents using the properties of exponents.	A II	HS.MP.7. Look for and make use of structure.			

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.N-RN.B.3. Explain why the sum or product of two rational numbers are rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational. Connection: 9-10.WHST.1e	AI	HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others.			

Number and Quantity: Quantities ★ (N-Q)

Reason qualitatively and use units to solve problems.

Reason qualitativ		I			
Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	<u>Explanations and Examples</u>
HS.N-Q.A.1. Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays. Connections: SCHS-S1C4-02; SSHS-S5C5-01	AI ★	HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision.	1.5 2.6	To demonstrate that in today's global market companies need to be aware of how currency values affect business transactions	A company has a subsidiary in Mexico where the currency is in pesos. If the subsidiary earned 12,102,282 pesos in quarter 1 what would that convert to in US dollars if the conversion rate is 1 Mexican peso = 0.08 US Dollars? Solution: $ \frac{12,102,282 \text{ pesos}}{1} \bullet \frac{\$0.08 \text{ US}}{1 \text{ peso}} = \$968,182.56 \text{ US} $
HS.N-Q.A.2. Define appropriate quantities for the purpose of descriptive modeling. Connection: SSHS-S5C5-01	AI AII ★	HS.MP.4. Model with mathematics. HS.MP.6. Attend to precision.			
HS.N-Q.A.3. Choose a level of accuracy appropriate to limitations on measurement when reporting quantities.	ΑΙ	HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision.	8.7	To determine how taxes affect payroll and overall expenses. To apply tax laws to preparing deductions for	Question 1 Using the Sample Tax Table below, find the tax for Mr. and Mrs. Larson, who are filing a joint return. Their taxable income is \$25,300. Sample Tax Table

Number and Quantity: Quantities ★ (N-Q)

Reason qualitatively and use units to solve problems.

Standards Students are expected to:	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanation	ns and Exc	amples			
readents are expected to.		<u>Practices</u>	Measurement Criterion	<u>Mathematics</u> Standard						
statents are expected to.		<u>Practices</u>	Criterion 10.2	employees To utilize appropriate software (word processing, spreadsheet, database, graphics, etc.)	2. Ne	-	column for	2,934 2,941 2,949 2,956 50 taxable in married filing		3,176 3,184 3,191 3,199
				graphics, etc.)	1. First 2. Ne 3. The 4. The col	xt, find the en read down amount should be amount should be umns meet	column for on the colun nown where is \$2,949.	married filing nn. e the taxable		
					Question 2 Using the sataxable inco	•		above, find th	e tax for a single	e person whose
					\$3,374 Project For people i	making the s	same amou	nt, \$25,300, f	ind the differen	ce between a

Number and Quantity: Quantities ★ (N-Q)

<u>Standards</u>	<u>TRAD</u>	Mathematical	CTE Standard /	Application of	Explanations and Examples
tudents are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics	
			<u>Criterion</u>	Standard	
					single person and a married couple filing jointly. What is the percentage difference? Show the work.
					Solution:
					\$ 3,374 single person - 2,949 married couple filing jointly \$ 425
					Single: \$3,374/\$25,300 = .133 = 13% Married: \$2,949/\$25,300 = .117 = 12%
					Income = \$25,300
					T _s = \$3,374 Perc _s = 3374 = 0.1334 25300
					T_{M} = \$2,949 Perc _m = $\frac{2949}{25300}$ = 0.1166
					Perc _s . Perc _m = 0.0165
					Tax _s Paid = % _s Income
					Tax _s Paid = % _M Income
					%s - % _M = difference in percent

Number and Quantity: The Complex Number System (N-CN) Perform arithmetic operations with complex numbers. TRAD | Mathematical CTE Standard / Application of Standards **Explanations and Examples** Students are expected to: **Practices** Measurement **Mathematics** Criterion Standard HS.N-CN.A.1. Know HS.MP.2. Reason ΑII there is a complex abstractly and number *i* such that quantitatively. $i^2 = -1$, and every HS.MP.6. Attend complex number to precision. has the form a + biwith a and b real. HS.N-CN.A.2. Use ΑII HS.MP.2. Reason the relation $i^2 = -1$ abstractly and and the quantitatively. commutative, HS.MP.7. Look for associative, and and make use of distributive structure. properties to add, subtract, and multiply complex numbers. Connection: 11-12.RST.4 HS.N-CN.A.3. Find HS.MP.2. Reason the conjugate of a abstractly and complex number; quantitatively. use conjugates to HS.MP.7. Look for find moduli and and make use of quotients of structure. complex numbers. Connection: 11-12.RST.3

Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
HS.N-CN.B.4. Represent complex numbers on the complex plane in rectangular and polar form (including real and imaginary numbers), and explain why the rectangular and polar forms of a given complex number represent the same number. Connection: 11-12.RST.3	+	HS.MP.2. Reason abstractly and quantitatively. HS.MP.7. Look for and make use of structure.			
HS.N-CN.B.5. Represent addition, subtraction, multiplication, and conjugation of complex numbers geometrically on the complex plane; use properties of this representation for computation. For example, $(-1 + \sqrt{3} i)^3 = 8$ because	+	HS.MP.2. Reason abstractly and quantitatively. HS.MP.7. Look for and make use of structure.			

Number and Quar					
Represent comple			1	,	
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
(-1 + v3 i) has modulus 2 and argument 120°.					
HS.N-CN.B.6. Calculate the distance between numbers in the complex plane as the modulus of the difference, and the midpoint of a segment as the average of the numbers at its endpoints. Connection: 11-12.RST.3	+	HS.MP.2. Reason abstractly and quantitatively.			

Number and Quantity: The Complex Number System (N-CN) Use complex numbers in polynomial identities and equations

Use complex num		8.0 4.1	CTE Chandral	Anniantian	Fundamentians and Fundamenta
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.N-CN.C.7. Solve	ΑII				
quadratic equations					
with real					
coefficients that					
have complex					
solutions.					
HS.N-CN.C.8. Extend	+	HS.MP.7. Look for			
polynomial		and make use of			
identities to the		structure.			
complex numbers.					
For example, rewrite					
$x^2 + 4$ as $(x + 2i)(x -$					
2i).					
HS.N-CN.C.9. Know	+	HS.MP.3.			
the Fundamental		Construct viable			
Theorem of Algebra;		arguments and			
show that it is true		critique the			
for quadratic		reasoning of			
polynomials.		others.			
Connection: 11-		HS.MP.7. Look for			
12.WHST.1c		and make use of			
		structure.			

Number and Quantity: Vector and Matrix Quantities (N-VM) Represent and model with vector quantities. CTE Standard / Application of TRAD Mathematical **Explanations and Examples** Standards Students are expected to: **Practices** Measurement **Mathematics** Criterion Standard HS.N-VM.A.1. HS.MP.4. Model Recognize vector with quantities as having mathematics. both magnitude and direction. Represent vector quantities by directed line segments, and use appropriate symbols for vectors and their magnitudes (e.g., v, |v|, ||v||, ν). HS.N-VM.A.2. Find HS.MP.2. Reason the components of a abstractly and vector by quantitatively. subtracting the coordinates of an initial point from the coordinates of a terminal point. HS.N-VM.A.3. Solve HS.MP.1. Make problems involving sense of problems and persevere in velocity and other quantities that can solving them. be represented by HS.MP.2. Reason vectors. abstractly and Connections: 11quantitatively. 12.RST.9; HS.MP.4. Model SCHS-S5C2-01; with SCHS-S5C2-02;

Number and Quan	Number and Quantity: Vector and Matrix Quantities (N-VM)								
Represent and model with vector quantities.									
<u>Standards</u>	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>					
			<u>Criterion</u>	<u>Standard</u>					
SCHS-S5C2-06; 11-		mathematics.							
12.WHST.2d		HS.MP.5. Use appropriate tools strategically.							
		HS.MP.6. Attend to precision.							

Number and Quan Perform operation			Quantities (N-VM)		
Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
HS.N-VM.B.4. Add and subtract vectors.	+	HS.MP.2. Reason abstractly and quantitatively.			
a. Add vectors end- to-end, component-wise, and by the parallelogram rule. Understand that the magnitude of a sum of two vectors is typically not the sum of the magnitudes.	+	HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically.			
b. Given two vectors in magnitude and direction form, determine the magnitude and direction of their sum.	+				
HS.N-VM.B.5. Multiply a vector by a scalar.	+	HS.MP.2. Reason abstractly and quantitatively.			
a. Represent scalar multiplication graphically by scaling vectors and possibly	+	HS.MP.4. Model with mathematics. HS.MP.5. Use			

Number and Quan			Quantities (N-VM)		
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
reversing their direction; perform scalar multiplication component-wise, e.g., as $c(v_x, v_y) = (cv_x, cv_y)$.		appropriate tools strategically.			
b. Compute the magnitude of a scalar multiple cv using $ cv = c v$. Compute the direction of cv knowing that when $ c v \neq 0$, the direction of cv is either along v (for $c > 0$) or against v (for $c < 0$).	+				
Connection: ETHS- S6C1-03					

Number and Quantity: Vector and Matrix Quantities (N-VM)

Perform operations on matrices and use matrices in applications.

Perform operatio		ı			
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.N-VM.C.6. Use	+	HS.MP.2. Reason			
matrices to		abstractly and			
represent and		quantitatively.			
manipulate data,		HS.MP.4. Model			
e.g., to represent payoffs or incidence		with			
relationships in a		mathematics.			
network.		HS.MP.5. Use			
		appropriate tools			
Connections: 9- 10.RST.7;		strategically.			
9-10.WHST.2f; 11-					
12.RST.9;					
11-12.WHST.2e;					
ETHS-S6C2-03					
HS.N-VM.C.7.	+	HS.MP.2. Reason			
Multiply matrices by		abstractly and			
scalars to produce		quantitatively.			
new matrices, e.g.,		<i>HS.MP.4.</i> Model			
as when all of the		with			
payoffs in a game		mathematics.			
are doubled.					
Connections: 9-		HS.MP.5. Use			
10.RST.3;		appropriate tools strategically.			
ETHS-S6C2-03					
HS.N-VM.C.8. Add,	+	HS.MP.2. Reason	8.4	To evaluate	In January Sam noted that his company ordered 8 SanDisk Cruzers, 12 SanDisk
subtract, and		abstractly and		purchasing and	Sports and 6 EmTec Animals. In February the company ordered 20 SanDisk
multiply matrices of		quantitatively.		production	Cruzers, 24 SanDisk Sports and 10 EmTec Animals. For March the order was 6
appropriate		HS.MP.4. Model		decisions for a	SanDisk Cruzers, 4 SanDisk Sports and 20 EmTec Animals. Create matrices and
dimensions.		with		company	add. What is the total order for each type of thumb drives this quarter for each?
Connections: 9-		mathematics.	10.2	To utilize	Solution:
	1		10.2	10 dtillze	Jointon.

<u> </u>			natrices in applic	1	
<u>Standards</u> Students are expected to:	<u>TRAD</u>	<u>Mathematical</u> <u>Practices</u>	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
10.RST.3; ETHS-S6C2-03		HS.MP.5. Use appropriate tools strategically.		appropriate software (word processing, spreadsheet, database, graphics, etc.)	$\begin{bmatrix} 8 \\ 12 \\ 6 \end{bmatrix} + \begin{bmatrix} 20 \\ 24 \\ 10 \end{bmatrix} + \begin{bmatrix} 6 \\ 4 \\ 20 \end{bmatrix} = \begin{bmatrix} 34 \\ 40 \\ 36 \end{bmatrix}$ Each set of data is displayed in its own matrix. The matrices are of the same
HS.N-VM.C.9. Understand that, unlike multiplication of numbers, matrix multiplication for square matrices is not a commutative operation, but still satisfies the associative and distributive properties.	+	HS.MP.2. Reason abstractly and quantitatively. HS.MP.6. Attend to precision.			dimension. Add corresponding elements.
Connections: ETHS- S6C2-03; 9-10.WHST.1e					
HS.N-VM.C.10. Understand that the zero and identity matrices play a role in matrix addition and multiplication	+	HS.MP.2. Reason abstractly and quantitatively. HS.MP.6. Attend to precision.			

similar to the role of

	ns on m				Cynlanations and Cyamples
<u>Standards</u> Students are expected to:	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to.		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
0 and 1 in the real					
numbers. The					
determinant of a					
square matrix is					
nonzero if and only					
if the matrix has a					
multiplicative					
inverse.					
HS.N-VM.C.11.	+	HS.MP.4. Model			
Multiply a vector		with			
(regarded as a		mathematics.			
matrix with one		HS.MP.5. Use			
column) by a matrix		appropriate tools			
of suitable		strategically.			
dimensions to					
produce another					
vector. Work with					
matrices as					
transformations of					
vectors.					
Connections: ETHS-					
S6C1-03;					
11-12.WHST.1a					
HS.N-VM.C.12.	+	HS.MP.4. Model			
Work with 2 × 2		with			
matrices as		mathematics.			
transformations of					
the plane, and		HS.MP.5. Use			
interpret the		appropriate tools			
absolute value of		strategically.			
the determinant in					

	Number and Quantity: Vector and Matrix Quantities (N-VM) Perform operations on matrices and use matrices in applications.									
Standards TRAD Mathematical Practices Measurement Criterion Standard Standard Standard Practices Criterion Standard S										
terms of area. Connection: ETHS- S6C1-03										

	Algebra: Seeing Structure in Expressions (A-SSE) Interpret the structure of expressions.								
Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples				
HS.A-SSE.A.1. Interpret expressions that represent a quantity in terms of its context. a. Interpret parts of an expression, such as terms, factors, and coefficients. Connection: 9- 10.RST.4 b. Interpret complicated expressions by viewing one or more of their parts as a single entity. For example, interpret P(1+r) ⁿ as the product of P and a factor not depending on P.	AI ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.4. Model with mathematics. HS.MP.7. Look for and make use of structure.							
HS.A-SSE.A.2. Use the structure of an expression to identify ways to rewrite it. For example, see $x^4 - y^4$ as $(x^2)^2 -$		HS.MP.2. Reason abstractly and quantitatively. HS.MP.7. Look for and make use of structure.							

Algebra: Seeing St	Algebra: Seeing Structure in Expressions (A-SSE)							
Interpret the structure of expressions.								
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples			
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics				
			<u>Criterion</u>	<u>Standard</u>				
$(y^2)^2$, thus								
recognizing it as a								
difference of squares								
that can be factored								
as								
$(x^2 - y^2)(x^2 + y^2).$								

Algebra: Seeing Structure in Expressions (A-SSE)

Write expressions in equivalent forms to solve problems.

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.A-SSE.B.3. Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. Connections: 9-10.WHST.1c; 11-12.WHST.1c	A I A II ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively.	9.1 9.4 10.2	To use formulas to compute financial information for businesses and individuals To utilize appropriate software (word processing, spreadsheet, database, graphics, etc.)	The annual interest rate is 15%. The expression to compute interest is 1.15^t which can be rewritten as $\left(1.15^{\frac{1}{12}}\right)^{12t}$. What is the approximate equivalent? Solution: 1.012^{12t}
a. Factor a quadratic expression to reveal the zeros of	A I ★	HS.MP.4. Model with mathematics.			

	Algebra: Seeing Structure in Expressions (A-SSE) Write expressions in equivalent forms to solve problems.									
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples					
the function it defines.			<u> </u>	90000000						
b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.	AI ★	HS.MP.7. Look for and make use of structure.								
c. Use the properties of exponents to transform expressions for exponential functions. For example the expression 1.15^t can be rewritten as $(1.15^{1/12})^{12t} \approx 1.012^{12t}$ to reveal the approximate equivalent monthly interest rate if the annual rate is 15%.	AI AII ★									
HS.A-SSE.B.4. Derive the formula for the sum of a finite geometric series	A II ★	HS.MP.3. Construct viable arguments and critique the								

	Algebra: Seeing Structure in Expressions (A-SSE) Write expressions in equivalent forms to solve problems.								
Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples				
(when the common ratio is not 1), and use the formula to solve problems. For example, calculate mortgage payments. Connection: 11- 12.RST.4		reasoning of others. HS.MP.4. Model with mathematics. HS.MP.7. Look for and make use of structure.							

<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	Measurement	Mathematics	
			<u>Criterion</u>	<u>Standard</u>	
HS.A-APR.A.1.	АΙ				
Understand that					
polynomials form a					
system analogous to					
the integers,					
namely, they are					
closed under the					
operations of					
addition,					
subtraction, and					
multiplication; add,					
subtract, and					
multiply					
polynomials.					
Connection: 9-					
		1			

Algebra: Arithmet	Algebra: Arithmetic with Polynomials and Rational Expressions (A-APR)									
Understand the relationship between zeros and factors of polynomials.										
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples					
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics						
			<u>Criterion</u>	<u>Standard</u>						
HS.A-APR.B.2. Know	ΑII	HS.MP.2. Reason								
and apply the		abstractly and								
Remainder		quantitatively.								
Theorem: For a		HS.MP.3.								
polynomial $p(x)$ and		Construct viable								
a number a, the		arguments and								
remainder on		critique the								

<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	Measurement	Mathematics	
			<u>Criterion</u>	<u>Standard</u>	
division by $x - a$ is		reasoning of			
p(a), so $p(a) = 0$ if		others.			
and only if $(x - a)$ is					
a factor of $p(x)$.					
HS.A-APR.B.3.	ΑI	HS.MP.2. Reason			
Identify zeros of	ΑII	abstractly and			
polynomials when		quantitatively.			
suitable		<i>HS.MP.4.</i> Model			
factorizations are		with			
available, and use		mathematics.			
the zeros to					
construct a rough		HS.MP.5. Use			
graph of the		appropriate tools			
function defined by		strategically.			

Algebra: Arithmetic with Polynomials and Rational Expressions (A-APR)

Use polynomial identities to solve problems.									
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>					
			<u>Criterion</u>	<u>Standard</u>					
HS.A-APR.C.4. Prove polynomial identities and use them to describe numerical relationships. For example, the polynomial identity $(x^2+y^2)^2 = (x^2-y^2)^2 + (2xy)^2$ can be used to generate Pythagorean triples.	AII	HS.MP.7. Look for and make use of structure. HS.MP.8. Look for and express regularity in repeated reasoning.							
HS.A-APR.C.5. Know and apply the Binomial Theorem for the expansion of $(x + y)^n$ in powers of x and y for a positive integer n , where x and y are any numbers, with coefficients determined for example by Pascal's Triangle. (The Binomial Theorem can be proved by mathematical induction or by a combinatorial argument.)	+	HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.6. Attend to precision. HS.MP.7. Look for and make use of structure.							

Standards	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		Practices	Measurement	Mathematics	
		<u>- 1000000</u>	Criterion	Standard	
HS.A-APR.D.6. Rewrite simple rational expressions in different forms; write $a(x)/b(x)$ in the form $q(x) + r(x)/b(x)$, where $a(x)$, $b(x)$, $q(x)$, and $r(x)$ are polynomials with the degree of $r(x)$ less than the degree of $b(x)$, using inspection, long division, or, for the more complicated examples, a computer algebra system.	AII	HS.MP.2. Reason abstractly and quantitatively. HS.MP.7. Look for and make use of structure.			
HS.A-APR.D.7. Understand that rational expressions form a system analogous to the rational numbers, closed under addition, subtraction, multiplication, and division by a nonzero rational expression; add,	+	HS.MP.7. Look for and make use of structure. HS.MP.8. Look for and express regularity in repeated reasoning.			

	Algebra: Arithmetic with Polynomials and Rational Expressions (A-APR) Rewrite rational expressions.								
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement	Application of Mathematics	Explanations and Examples				
		<u>Fructices</u>	<u>Criterion</u>	<u>Standard</u>					
subtract, multiply, and divide rational expressions.									

Algebra: Creating Equations ★ (A-CED)

Create equations that describe numbers or relationships.

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.A-CED.A.1. Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions.	AI AII ★	HS.MP.2. Reason abstractly and quantitatively. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically.	10.2	To determine how costs affect decision making for businesses To utilize appropriate software to generate business reports	After a soft drink maker includes a \$1.00 rebate offer on each 24-pack, sales increase by 180,000 packs or 15% over the previous quarter. If 2% of the possible rebates are redeemed, how much will the company have to pay out in rebates? Solution: Let X = number of packs sold in previous quarter15 X = 180,000 Divide both sides by .15 X = 1,200,000 This quarter, the soft-drink maker sold 1,200,000 + 180,000 1,380,000 packs 1,380,000 x \$1.00 x .02 (2%) = \$27,600
					If the soft drink maker earns a profit of \$0.75 per 24-pack sold before the rebates are paid out, how much will the company make or lose as a result of the rebate promotion?
					Solution:

Algebra: Creating Equations ★ (A-CED)

Create equations that describe numbers or relationships.

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		Practices	Measurement	Mathematics	
			Criterion	Standard	
					The company sold 180,000 extra packs at \$0.75 profit per pack for a total of \$135,000. Subtract what the company paid out in rebates (\$27,600). The company made \$135,000 - 27,600 \$107,400
HS.A-CED.A.2.	ΑI	HS.MP.2. Reason			
Create equations in	*	abstractly and			
two or more		quantitatively.			
variables to represent relationships between quantities;		HS.MP.4. Model with mathematics.			
graph equations on		HS.MP.5. Use			
coordinate axes with		appropriate tools			
labels and scales.		strategically.			
HS.A-CED.A.3.	ΑI	HS.MP.2. Reason	1.5	To use the	Project
Represent	*	abstractly and		decision-making	
constraints by		quantitatively.		process involved	A local business is selling T-shirts and baseball caps to honor the town's university
equations or inequalities, and by systems of equations and/or		HS.MP.4. Model with mathematics.		in budgeting and purchasing for an organization	team that is going to the NCAA Tournament. The owner has budgeted <i>at most</i> \$5,000 to buy the items and would like to have 450 of them to sell. The T-shirts cost him \$10 each and the caps \$12 each. He makes a better profit on the caps.
inequalities, and		HS.MP.5. Use		To utilize	1. Create a system of inequalities that best describes this situation.
interpret solutions		appropriate tools	10.2	appropriate	2. What is the greatest number of caps he can buy and still meet his budget
as viable or non-		strategically.		software (word	and number of items to sell?
viable options in a				processing,	
modeling context.				spreadsheet,	Solution:
For example,				database,	
represent				graphics, etc.)	x ≥ 0
inequalities					y ≥ 0
describing					x + y ≥ 450

Algebra: Creating Equations ★ (A-CED)
Create equations that describe numbers or relationships.

Standards	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		Practices	Measurement	Mathematics	
		<u> </u>	<u>Criterion</u>	Standard	
nutritional and cost constraints on combinations of different foods.			<u>Criterion</u>	Standard	$10x + 12y \le 5000$ $10x + 10y = 4500$ $(-)10x + 12y = 5000$ $-2y = -500$ $y = 250$ $x = 200$
HS.A-CED.A.4. Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations. For example, rearrange Ohm's law V = IR to highlight resistance R.	AI ★	HS.MP.2. Reason abstractly and quantitatively. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.7. Look for and make use of structure.			

<u>Standards</u> Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
HS.A-REI.A.1. Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.	AI	HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.7. Look for and make use of structure.			
HS.A-REI.A.2. Solve simple rational and radical equations in one variable, and give examples showing how extraneous solutions may arise.	AII	HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.7. Look for and make use of structure.			

Algebra: Reasoning with Equations and Inequalities ★ (A-REI)

Solve equations and inequalities in one variable.

Solve equations a	Solve equations and inequalities in one variable.								
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>					
			<u>Criterion</u>	<u>Standard</u>					
HS.A-REI.B.3. Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters.	AI	HS.MP.2. Reason abstractly and quantitatively. HS.MP.7. Look for and make use of structure. HS.MP.8. Look for and express regularity in repeated reasoning.							
HS.A-REI.B.4. Solve quadratic equations in one variable.	A II	HS.MP.2. Reason abstractly and quantitatively.							
a. Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form.	AI	HS.MP.7. Look for and make use of structure. HS.MP.8. Look for and express regularity in repeated reasoning.							
b. Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking	A II								

Algebra: Reasoning with Equations and Inequalities ★ (A-REI)

Solve equations and inequalities in one variable.

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
square roots,					
completing the					
square, the					
quadratic formula					
and factoring, as					
appropriate to the					
initial form of the					
equation.					
Recognize when					
the quadratic					
formula gives					
complex solutions					
and write them as					
a ± bi for real					
numbers a and b.					

Algebra: Reasoning with Equations and Inequalities ★ (A-REI)

Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement	Application of Mathematics	Explanations and Examples
			<u>Criterion</u>	<u>Standard</u>	
HS.A-REI.C.5. Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a	AI	HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others.			

Algebra: Reasoning with Equations and Inequalities ★ (A-REI)

Standards	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics	
			<u>Criterion</u>	<u>Standard</u>	
system with the					
same solutions.					
HS.A-REI.C.6. Solve	АΙ	HS.MP.2. Reason	9.3	To analyze how	During the busy holiday season, a store manager hires temporary workers, some
systems of linear	ΑII	abstractly and		costs affect a	who will work part-time and others who will work full-time.
equations exactly		quantitatively.		store's revenue	• The part-time employees will work 30 hours per week at \$8.00 per hour.
and approximately		HS.MP.4. Model		potential	• The full-time employees will work 40 hours per week at \$10.00 per hour.
(e.g., with graphs),		with	10.3	Ta satilita	
focusing on pairs of linear equations in		mathematics.	10.2	To utilize appropriate	The manager hires 14 people and figures that the added staff will cost \$4,320 per
two variables.		HS.MP.5. Use		software (word	week. How many part-time workers (PT) and how many full-time workers (FT) did she hire?
		appropriate tools		processing,	Sile tille:
Connection: ETHS-		strategically.		spreadsheet,	Solution:
S6C2-03		HS.MP.6. Attend		database,	
		to precision.		graphics, etc.)	Let x = part-time workers
					Let y = full-time workers
		HS.MP.7. Look for			Each part-time worker will earn \$240 per week.
		and make use of structure.			Each full-time worker will earn \$400 per week.
		HS.MP.8. Look for			x + y = 14
		and express			240x + 400y = 4320
		regularity in			Multiply the equation by −240
		repeated			-240x - 240y = -3360
		reasoning.			240x + 400y = 4320
					Subtract the bottom from the top.
					0x + 160y = 960
					Divide by 160
					y = 6
					The manager hired 6 full time workers and therefore had to hire 8 part-time workers.

Algebra: Reasoning with Equations and Inequalities ★ (A-REI)

Solve systems of e	Solve systems of equations.									
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples					
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>						
			<u>Criterion</u>	<u>Standard</u>						
HS.A-REI.C.7. Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line	AII	HS.MP.2. Reason abstractly and quantitatively. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision.								
$y = -3x$ and the circle $x^2 + y^2 = 3$.		HS.MP.7. Look for and make use of structure. HS.MP.8. Look for and express regularity in repeated reasoning.								
HS.A-REI.C.8. Represent a system of linear equations as a single matrix equation in a vector variable.	+									
HS.A-REI.C.9. Find the inverse of a matrix if it exists, and use it to solve	+	HS.MP.5. Use appropriate tools strategically.								

Algebra: Reasoning with Equations and Inequalities ★ (A-REI)

Solve systems of equations.

Standards Students are expected to:	<u>TRAD</u>	<u>Mathematical</u> Practices	CTE Standard / Measurement	Application of Mathematics	Explanations and Examples
			Criterion	Standard	
systems of linear equations (using technology for matrices of dimension 3 × 3 or greater). Connection: ETHS-S6C2-03		HS.MP.6. Attend to precision. HS.MP.7. Look for and make use of structure.			

Algebra: Reasoning with Equations and Inequalities ★ (A-REI)

Represent and solve equations and inequalities graphically.

<u>Standards</u>	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.A-REI.D.10. Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line).	АІ	HS.MP.2. Reason abstractly and quantitatively. HS.MP.4. Model with mathematics.			
HS.A-REI.D.11. Explain why the x-coordinates of the points where the graphs of the equations	AI AII ★	HS.MP.2. Reason abstractly and quantitatively. HS.MP.4. Model with			

Algebra: Reasoning with Equations and Inequalities ★ (A-REI)

Solve systems of equations.								
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples			
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics				
			<u>Criterion</u>	<u>Standard</u>				
y = f(x) and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, polynomial, rational, absolute value, exponential, and logarithmic functions. Connection: <i>ETHS</i> - $S6C2-O3$		mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision.						
HS.A-REI.D.12. Graph the solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of	АІ	HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically.						

Algebra: Reasonin	g with	Equations and In	equalities ★ (A-RE	EI)					
Solve systems of e	olve systems of equations.								
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>					
			<u>Criterion</u>	<u>Standard</u>					
linear inequalities in									
two variables as the									
intersection of the									
corresponding half-									
planes.									

Functions: Interpreting Functions (F-IF)

Understand the concept of a function and use of function notation.

Understand the co			1		
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.F-IF.A.1.	ΑI	HS.MP.2. Reason			
Understand that a		abstractly and			
function from one		quantitatively.			
set (called the					
domain) to another					
set (called the					
range) assigns to					
each element of the					
domain exactly one					
element of the					
range. If f is a					
function and x is an					
element of its					
domain, then f(x)					
denotes the output					
of f corresponding					
to the input x. The					
graph of f is the					
graph of the					
equation $y = f(x)$.					
HS.F-IF.A.2. Use	ΑI	HS.MP.2. Reason			
function notations,		abstractly and			
evaluate functions		quantitatively.			
for inputs in their		,			
domains, and					
interpret statements					
that use function					
notation in terms of					
a context.					
Connection: 9-					
10.RST.4					
10.1131.4					

Functions: Interpreting Functions (F-IF)

Understand the concept of a function and use of function notation.

		ı		1	
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.F-IF.A.3.	ΑI	HS.MP.8. Look for			
Recognize that	ΑII	and express			
sequences are		regularity in			
functions,		repeated			
sometimes defined		reasoning.			
recursively, whose					
domain is a subset					
of the integers. For					
example, the					
Fibonacci sequence					
is defined recursively					
by $f(0) = f(1) = 1$,					
f(n+1) = f(n) + f(n-1)					
for $n \ge 1$.					

Functions: Interpreting Functions (F-IF)

Interpret functions that arise in applications in terms of context.

<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.F-IF.B.4. For a	ΑI	HS.MP.2. Reason	1.4	To analyze how	Project
function that models	ΑII	abstractly and		different variables	
a relationship	*	quantitatively.		can affect the	Start on Black Friday as Day 1 and assume a 30-day Christmas shopping period.
between two quantities, interpret		<i>HS.MP.4</i> . Model with		cash flow of a company by	The data is also confined to the statistical sample of sales of 1,000 items.
key features of graphs and tables in		mathematics.		creating graphs and tables	 Create a graph of the number of items sold on each day of the shopping season.
terms of the		HS.MP.5. Use			Identify intervals where the graph is increasing and decreasing.
quantities, and		appropriate tools		To utilize	3. Identify the maximums and minimums.
sketch graphs		strategically.	10.2	appropriate	4. Using knowledge of modern business, explain the spike on the 4 th day of

tandards tudents are expected to:	TRAD Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
nowing key eatures given a erbal description of ne relationship. Key eatures include: otercepts; intervals where the function is ocreasing, ecreasing, positive, or negative; relative maximums and oninimums; ommetries; end eeriodicity. onnections: ETHS-6C2.03; -10.RST.7; 11- 2.RST.7	HS.MP.6. Attend to precision.		software to generate graphs	Sales. Solution: 1. Sales 160 140 120 100 80 60 40 20 0 DayDayDayDayDayDayDayDayDayDayDayDayDayD

	<u>Mathematical</u> <u>Practices</u>	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanation	ns and Examples
				Day 8	19
				Day 9	18
				Day 10	17
				Day 11	14
				Day 12	16
				Day 13	18
				Day 14	22
				Day 15	24
				Day 16	25
				Day 17	25
				Day 18	28
				Day 19	30
				Day 20	32
				Day 21	33
				Day 22	35
				Day 23	30
				Day 24	25
				Day 25	22
				Day 26	20
				Day 27	28
				Day 28	30
				Day 29	38
				Day 30	52

Functions: Interpreting Functions (F-IF) Interpret functions that arise in applications in terms of context. Mathematical CTE Standard / TRAD **Explanations and Examples** Standards Application of Students are expected to: **Practices** Measurement **Mathematics** Criterion Standard Decreases from Day 4 to Day 11. Increases from Day 11 to Day 22. Decreases from Day 22 to Day 26. Increases from Day 26 to Day 30. 3. Maximum: 142 Minimum: 14 4. The Monday after Black Friday is known as Cyber Monday. Cyber Monday is the busiest on-line shopping day of the year. HS.F-IF.B.5. Relate HS.MP.2. Reason АΙ \star the domain of a abstractly and function to its graph quantitatively. and, where HS.MP.4. Model applicable, to the with quantitative mathematics. relationship it describes. For HS.MP.6. Attend example, if the to precision. function h(n) gives the number of person-hours it takes to assemble n engines in a factory, then the positive integers would be an appropriate domain for the function.

Connection: 9-10.WHST.2f HS.F-IF.B.6.

АΙ

HS.MP.2. Reason

Functions: Interpr Interpret function	_		ons in terms of cor	ıtext.	
<u>Standards</u> Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. Connections: ETHS-S1C2-01; 9-10.RST.3	A II ★	abstractly and quantitatively. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically.			

Functions: Interpreting Functions (F-IF)

Analyze functions using different representation

Standards	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Ex	amples
Students are expected to:		Practices	Measurement	Mathematics		
		<u> </u>	Criterion	Standard		
HS.F-IF.C.7. Graph	ΑI	HS.MP.5. Use	1.5	To analyze and	Project: Linear graph (a.)
functions expressed	ΑII	appropriate tools		determine the		
symbolically and	+	strategically.	9.4	future value of	Sal purchases an iPad f	for \$500 with his new VISA. The current promotion waives
show key features of	*	<i>HS.MP.6.</i> Attend		money and how it	the 29.9% AYP on the f	first purchase. He pays the minimum monthly payments of
the graph, by hand		to precision.		affects a	\$25.	
in simple cases and		to precision.		company's		
using technology for				growth		ula to show the running balance per month.
more complicated					_	it take Sal to pay off the iPad?
cases.			10.2	To use	Create a grap	h to display the information.
				appropriate		
				hardware and	Solution:	
				software to		
				generate business	 Previous Bala 	nce – Payment = Current Balance
				document/		
				reports	2. Y = \$500 - \$25	5X
					х	Υ
					0 5	00
					1 4	75
					2 4	50
					3 4	25
					4 4	.00
					5 3	75
						50
						25
						00
						75
						50
						25
						00
						75
					14 1	50

Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and	<u>d Examples</u>
					15	125
					16	100
					17	75
					18	50
					19	25
					20	0
					Sal will pay off the	iPad in 20 months.
					3. Graph	
					500 450 400 350 300 250 200 150 100 50 0 1 2 3	3 4 5 6 7 8 9 1011 1213 1415 1617 1819 20
 Graph linear and quadratic functions and show intercepts, 	AI ★					

Functions: Interpr Analyze functions			ntation.		
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
minima. Connections: ETHS- S6C1-03; ETHS-S6C2-03					
b. Graph square root, cube root, and piecewise-defined functions, including step functions and absolute value functions. Connections: ETHS-S6C1-03; ETHS-S6C2-03	AI ★				
c. Graph polynomial functions, identifying zeros when suitable factorizations are available, and showing end behavior. Connections: ETHS- S6C1-03; ETHS-S6C2-03 Continued on next	A II ★				

Functions: Interpr Analyze functions			entation.		
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
page					
d. Graph rational functions, identifying zeros and asymptotes when suitable factorizations are available, and showing end behavior. Connections: ETHS-S6C1-03; ETHS-S6C2-03	+ ★				
e. Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude.	A II ★				Project: Exponential graph (e.) According to Moore's Law, the number of transistors that can fit on a chip will double every 18 months due to advancements in technology. The first chip in January 1, 1970, could fit 8 transistors. 1. Create a chart showing increments of 18 months and the number of transistors that fit on a chip accordingly, starting with January 1, 1970, and ending January 1, 1982. Solution:
Connections: ETHS- S6C1-03; ETHS-S6C2-03					

<u>Standards</u> Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
					9000 7000 6000 5000 4000 3000 2000 1/1/70 7/1/71 1/1/73 7/1/74 1/1/76 7/1/77 1/1/79 7/1/80 1/1/82 7/1/83 1/1/85
HS.F-IF.C.8. Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. Connection: 11-12.RST.7	AI	HS.MP.2. Reason abstractly and quantitatively. HS.MP.7. Look for and make use of structure.			
a. Use the process of factoring and completing the square in a quadratic	ΑI				

<u>Standards</u> Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context. Connection: 11-12.RST.7					
b. Use the properties of exponents to interpret expressions for exponential functions. For example, identify percent rate of change in functions such as $y = (1.02)^t$, $y = (0.97)^t$, $y = (1.01)^{12t}$, $y = (1.02)^{t/10}$, and classify them as representing exponential growth or decay.	AII				

	Functions: Interpreting Functions (F-IF)											
Analyze functions	Analyze functions using different representation.											
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples							
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics								
			<u>Criterion</u>	<u>Standard</u>								
12.RST.7												
HS.F-IF.C.9.	ΑI	HS.MP.6. Attend										
Compare properties	ΑII	to precision.										
of two functions		HS.MP.7. Look for										
each represented in a different way		and make use of										
(algebraically,		structure.										
graphically,												
numerically in												
tables, or by verbal												
descriptions). For												
example, given a												
graph of one												
quadratic function												
and an algebraic												
expression for												
another, say which has the larger												
maximum.												
Connections: ETHS-												
S6C1-03;												
ETHS-S6C2-03; 9-												
10.RST.7			1									

Functions: Building Functions (F-BF)

Build a function that models a relationship between two quantities.

Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement	Application of Mathematics	Explanations and Examples
			<u>Criterion</u>	<u>Standard</u>	
HS.F-BF.A.1. Write a function that describes a relationship between two quantities. Connections: ETHS-S6C1-03; ETHS-S6C2-03	A I A II + ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision. HS.MP.7. Look for and make use of structure. HS.MP.8. Look for and express regularity in repeated reasoning.	8.5 9.3 10.2	To evaluate the overall cost of credit to a business To utilize appropriate software to generate graphs	 A businessman takes out a short-term loan from a friendly and enterprising lender. The lender proposes an interesting agreement. There will be no compounding of interest of any kind. If the borrower repays the loan in the first month after receiving it, he owes nothing but the principal. If he pays it off in the second month, he owes the principal plus one percent of the principal. If it is paid off in the third month, he owes the principal plus two percent of the principal, and so on. According to the agreement, he must pay all of the principal and whatever interest is owed all at once; he cannot make partial payments. Solution: A = Amount paid back P = Principal N = number of month in which it is paid back A= f(n) = P(1+ (.01)(n-1)) If it is paid off in the 3rd month, the interest is 2% (.02); if it is paid off in the 30th month, the interest is 29% (.29). Subtract one month from n then multiply it by .01 to get the correct interest rate. Then add that to 1 and multiply by the principal to get the amount that is owed. Note that if it is paid off in the 1st month, the equation is A = P(1 + (.01)(1-1)) or A = P(1 + 0) = P
a. Determine an	ΑI				

	Functions: Building Functions (F-BF) Build a function that models a relationship between two quantities.										
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples						
explicit expression, a recursive process, or steps for calculation from a context.	A II ★		gnenen	933733373							
Connections: ETHS- S6C1-03; ETHS-S6C2-03; 9- 10.RST.7; 11-12.RST.7											
b. Combine standard function types using arithmetic operations. For example, build a function that models the temperature of a cooling body by adding a constant function to a decaying exponential, and relate these functions to the model.	A II ★										
Connections: ETHS- S6C1-03;											

	Functions: Building Functions (F-BF) Build a function that models a relationship between two quantities.								
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples				
Continued on next page c. Compose functions. For example, if T(y) is the temperature in the atmosphere as a function of height, and h(t) is the height of a weather balloon as a function of time, then T(h(t)) is the temperature at the location of the weather balloon as a function of time. Connections: ETHS-S6C1-03; ETHS-S6C2-03	**								
HS.F-BF.A.2. Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model	AII ★	HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically.			A recursive sequence uses the preceding number in the sequence to determine the next number. Question 1: Jose believes he can successfully sell vacuum cleaners on commission. He is told by the Acme Vacuum Cleaner, Inc., that all new sales staff must prove their				

Functions: Building Functions (F-BF)

Ruild a function that models a relationship between two quantities.

Build a function th		ieis a reiationsnij	p between two qua	antities.	
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	<u>Application of</u>	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics	
			<u>Criterion</u>	<u>Standard</u>	
situations, and		HS.MP.8. Look for			capability before they will be allowed to share in a full commission of \$60 per
translate between		and express			unit. Acme's sales manager explains that each new sales staff member will be
the two forms.		regularity in			paid sixty cents as commission for the first vacuum cleaner he or she sells and
		repeated			that the commission increases by twenty cents for each successive unit sold by
		reasoning.			the sales trainee, topping out at \$60 per unit.
					What would Jose's commission be after he has sold 5 units?
					Solution:
					Use a recursive formula for determining a geometric sequence.
					The formula is:
					$a_n = a_{n-1} + d$
					a_n = the nth number being sought
					a_{n-1} = the number in the sequence immediately preceding a_n
					d = the constant difference between each number in the sequence
					The formula therefore reads:
					$a_5 = a_{5-1} + \$0.20$
					$a_5 = a_4 + 0.20
					Since the 4^{th} number in the sequence is \$1.20, $a_4 = 1.20
					$a_5 = $1.20 + 0.20
					a ₅ = \$1.40
					Question 2

Functions: Building Functions (F-BF)

Build a function that models a relationship between two quantities.

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics	
			<u>Criterion</u>	<u>Standard</u>	
					Using the profit plan in the previous example, Jose figures he can sell 10 vacuum cleaners per week and wants to know how much profit he will earn per unit after he has sold 100 units.
					Solution:
					Use the explicit version of the arithmetic sequence formula to calculate this. The formula is:
					$a_n = a_1 + (n-1)d$
					Let n = 100 Let a ₁ = \$0.60 Let d = \$0.20
					$a_{100} = \$0.60 + (100 - 1)\0.20 A100 = \$0.60 + (99)\$0.20
					A100 = \$0.60 + \$19.80
					A100 = \$20.40
					Jose will receive a profit of \$20.40 on his 100 th unit.
					Question 3
					Tony is approached by a representative of Faceplant.com, a social networking company which is seeking advertisement revenue. Faceplant.com offers Tony a commission of 20% on every \$100 advertisement unit he sells. Calculating, Tony figures that after selling 100 \$100 advertisement units, he would receive \$2,000.

Functions: Building Functions (F-BF)

Build a function that models a relationship between two quantities.

	_		CTE Standard	T	Evaluations and Evanues
Standards Students are expected to:	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to.		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
					Tony instead suggests that Faceplant.com pay him \$.01 on the first \$100
					advertisement unit and that the commission increase by a factor of 15% with each
					additional advertisement unit sold.
					Which is the better deal for Tony, the Faceplant.com original offer or Tony's
					counter-offer?
					Solution:
					Use the explicit formula for a geometric sequence to calculate how much
					commission Tony will receive on the 100 th advertisement unit. The formula is as
					follows:
					$a_n = a_1 * r^{n-1}$
					Let n = 100 and r = 1.15
					40.04 * 4 4 = 100-1
					$a_{100} = \$0.01 * 1.15 ^{100-1}$
					$a_{100} = \$0.01 * 1.15$ ⁹⁹
					a ₁₀₀ = \$0.01 · 1.15
					a ₁₀₀ = \$0.01 * 1021142.131
					α ₁₀₀ - γο.οι τοειτ ι τε.ισι
					a ₁₀₀ = \$10,211.42
					4100 4-0/
					The better deal for Tony is his counter-offer (\$10,211.42 commission for the 100 th
					unit vs. \$2,000.00).

Functions: Building Functions (F-BF)

Build new functions from existing functions.

Build new functions from existing functions.										
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples					
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>						
			<u>Criterion</u>	<u>Standard</u>						
HS.F-BF.B.3. Identify	ΑI	HS.MP.4. Model								
the effect on the	ΑII	with								
graph of replacing		mathematics.								
f(x) by $f(x) + k$, $k f(x)$,		HS.MP.5. Use								
f(kx), and $f(x + k)$ for		appropriate tools								
specific values of k		strategically.								
(both positive and										
negative); find the		HS.MP.7. Look for								
value of <i>k</i> given the		and make use of								
graphs. Experiment with cases and		structure.								
illustrate an										
explanation of the										
effects on the graph										
using technology.										
Include recognizing										
even and odd										
functions from their										
graphs and										
algebraic										
expressions for										
them.										
Connections: ETHS-										
S6C2-03;										
11-12.WHST.2e										
HS.F-BF.B.4 Find	ΑII	HS.MP.2. Reason								
inverse functions.	+	abstractly and								
Connection: ETHS-		quantitatively.								
S6C2-03		HS.MP.4. Model								
a. Solve an	ΑII	with								
equation of the										

Functions: Building Functions (F-BF)

Build new functions from existing functions.

Build new functions from existing functions.								
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples			
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics				
			<u>Criterion</u>	<u>Standard</u>				
form $f(x) = c$ for a		mathematics.						
simple function f		HS.MP.5. Use						
that has an		appropriate tools						
inverse and write		strategically.						
an expression for								
the inverse. For		HS.MP.7. Look for						
example, $f(x) = 2$		and make use of						
x^3 or $f(x) =$		structure.						
$(x+1)/(x-1)$ for $x \neq x$								
1.								
b. Verify by	+							
composition that								
one function is the inverse of								
another.								
c. Read values of	+							
an inverse								
function from a								
graph or a table,								
given that the								
function has an								
inverse.								
d. Produce an	+							
invertible								
function from a								
non-invertible								
function by								
restricting the								
domain.								
HS.F-BF.B.5.	+	HS.MP.2. Reason	1.5	To assess long-	A woman buys a new machine for her business for \$80,000. It depreciates 12%			
Understand the		abstractly and	9.1	term costs and	per year. When it gets down to a value of \$24,000, it must be replaced. How long			
inverse relationship				to determine the	will that be?			

Functions: Building Functions (F-BF)

Build new functions from existing functions.

	build new functions if one existing functions.								
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	<u>Application of</u>	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics					
			<u>Criterion</u>	<u>Standard</u>					
between exponents		quantitatively.		value of assets at					
and logarithms and		HS.MP.6. Attend		a given point in	Solution:				
use this relationship				time					
to solve problems		to precision.			$$24,000 = $80,000 (.88)^{t}$				
involving logarithms		HS.MP.7. Look for	10.2	To utilize					
and exponents.		and make use of		appropriate	24,000 80000				
Connection: ETHS-		structure.		software (word processing,	$\frac{1}{80,000} = \frac{1}{80000}$				
S6C2-03				spreadsheet,	2 (20) ^t				
				database,	$.3 = (.88)^{t}$				
				graphics, etc.)	$\log_{.88} .3 = \log_{.88} (.88)^{t}$				
				grapines, etc.,	t – 9.4 years				
					The machine must be replaced in 9.4 years.				

Functions: Linear, Quadratic, and Exponential Models ★ (F-LE)

<u>Standards</u> Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
HS.F-LE.A.1. Distinguish between situations that can be modeled with linear functions and with exponential functions. Connections: ETHS-S6C2-03; SSHS-S5C5-03	AI *	HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.7. Look for and make use of structure. HS.MP.8. Look for and express regularity in repeated reasoning.	1.5 7.1	To analyze the cost of money over a specific time period and determine the best choice for a business To utilize appropriate software (word processing, spreadsheet, database, graphics, etc.)	Question 1: The law firm of Dewy, Cheetem, and Howe is researching three wireless cell phone providers to determine which company offers the least expensive plan for the firm's cell phones. The three cell phone companies offer the following plans: Company A: \$750 per month with a 5-cent per minute usage fee. Company B: \$500 per month with a 10-cent per minute usage fee. Company C: \$0 per month with a 20-cent per minute usage fee. 1. Create three equations that will show the total monthly cost of each plan based upon the minutes used. 2. Determine the monthly cost of each plan based on 1,000 minutes, 5,000 minutes, and 10,000 minutes of monthly usage. 3. Create a graph to display the information. 4. Which plan is the best deal at 1,000, 5,000, and 10.000 minutes? Solution: 1. Total Monthly Cost = y Total Monthly Minutes = x Company A Company B Company C y = .05x + 750 y = .1x + 500 y = .2x + 0

Standards Students are expected to:	<u>TRAD</u>	<u>Mathematical</u> <u>Practices</u>	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations an	nd Exampl	<u>es</u>			
					Inserting x va following y co represent the	oordinates	for each of tl	he three co	mpanies. Th	
					<u>x</u>	<u>y</u>	<u>x</u>	у	x	Y
					1,000	800	1,000	600	1,000	200
					5,000	1,000	5,000	1,000	5,000	1,000
					10,000	1,250	10,000	1,500	10,000	2,000
					3. Plot the x and	d y values c	on an xy coor	dinate char	t as follows:	
					2000		y = 0.2	2x		
					1500			x + 500	CompanCompanCompan	у В
					1000		y = 0.0	95x + 750 	Linear (C	ompany A)
					500				Linear (C	ompany C)

Functions: Linear, Quadratic, and Exponential Models ★ (F-LE) Construct and compare linear, quadratic, and exponential models and solve problems. TRAD | Mathematical CTE Standard / Application of **Explanations and Examples** Standards Students are expected to: Measurement **Mathematics Practices** Criterion Standard 4. At 1,000 minutes, Company C is the best deal. At 5,000 minutes, they are all the same. At 10,000 minutes, Company A is the best deal. Question 2 Mercedes is the lending manager of the Medici Business Bank (MBB). A new business client, Oil Wildcatter Explorations (OWE), wants to borrow, unsecured, \$10 million for off-shore oil exploration in the Gulf of California. Since an unsecured loan is risky, Mercedes proposes lending this sum at a rate of 17 % interest compounded monthly, provided that principal and interest are paid back in monthly installments over a five year period, with no balloon payment at the end. 1. Create an equation that shows the total return of principal plus interest after 5 years. 2. Create a chart showing the payback of principal plus interest over the 5 year period. Solution: 1. Use these variables: (a) A = Ending Amount; (b) P = beginning amount; (c) r = interest; (d) n = number of times interest is compounded per year;and (e) t = time in years The equation is as follows:

Functions: Linear, Quadratic, and Exponential Models ★ (F-LE)

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
					$A = P(1 + r/n)^{nt}$
					Solve for A. The other variables will have the following values:
					P = \$10,000,000; r = .17; n = 12; and t = 5
					Solving:
					$A = P(1 + r/n)^{nt}$
					A = 10,000,000(1 + .17/12) ^{12*5}
					A = 10,000,000(1 + .0141666667) ^{12*5}
					A = 10,000,000(1.0141666667) ^{12*5}
					A = 10,000,000(1.0141666667) ⁶⁰
					A = 10,000,000(2.325733406)
					A = \$23,257,334.06
					The chart below shows the exponential increase in principal and interest over the five years of the loan:

Standards Students are expected to:	<u>TRAD</u>	<u>Mathematical</u> <u>Practices</u>	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
					\$25,000,000.00 \$20,000,000.00 \$15,000,000.00 \$10,000,000.00 \$5,000,000.0
Prove that linear functions grow	A I ★				3. The rate of increase

Functions: Linear Construct and con					nrahlams
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
by equal differences over equal intervals, and that exponential functions grow by equal factors over equal intervals. Connection: 11- 12.WHST.1a-1e					
b. Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.	AI ★				
Connection: 11- 12.RST.4					
c. Recognize situations in which a quantity grows or decays by a constant percent rate per	AI ★				

Functions: Linear, Quadratic, and Exponential Models ★ (F-LE)

Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
unit interval relative to another. Connections: ETHS-S6C1-03; ETHS-S6C2-03; 11-12.RST.4					
HS.F-LE.A.2. Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table). Connections: ETHS-S6C1-03; ETHS-S6C2-03; 11-12.RST.4; SSHS-S5C5-03	AI AII ★	HS.MP.4. Model with mathematics. HS.MP.8. Look for and express regularity in repeated reasoning.	9.3	To analyze and prepare budgets for an organization to implement cost-saving measures To prepare cost analyses and determine the best choice for a business To utilize appropriate software (word processing, spreadsheet, database, graphics, etc.)	An employer will be hiring new employees, but first she has to determine which of the following salary options would save her company money. Option 1 is starting at \$40,000 a year and receiving a \$5,000 raise each year. Option 2 is starting at \$40,000 and receiving a 10% raise each year. 1. How much would Option 1 cost in the 10th year? 2. How much would Option 2 cost in the 10th year? 3. How much would Option 1 cost over ten years total? 4. How much would Option 2 cost over ten years total? Solution: 1. \$90,000 Principal + (raise x number of years) P + r(n) 2. \$103,749.70 $P(1+r)^n$ $40,000(1+.10)^{10} = $103,749.70$ 3. \$650.000 $\left(\frac{a+L}{2}\right)n$

Functions: Linear, Quadratic, and Exponential Models ★ (F-LE)

<u>Standards</u>	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	Measurement Criterion	<u>Mathematics</u> <u>Standard</u>	
					$\left(\frac{First + Last}{2}\right)(10) = \left(\frac{40,000 + 90,000}{2}\right)(10)$ $(\$65,000)(10) = \$650,000$ 4. $\$637,496.98$ The formula for determining how much Option 2 would cost over 10 years total is: $P[((1+r)^{t} - 1)t]$
HS.F-LE.A.3. Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.	A1 ★	HS.MP.2. Reason abstractly and quantitatively.			
HS.F-LE.A.4. For exponential models,	A II ★	HS.MP.7. Look for and make use of	8.5	To determine the growth of	At what rate of continuously compounded interest would an initial investment of \$9,000 triple in 15 years?
express as a logarithm the solution to $ab^{ct} = d$		structure.	9.3	investments at specific points in time	Solution:

Functions: Linear, Quadratic, and Exponential Models ★ (F-LE)

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics	
			<u>Criterion</u>	<u>Standard</u>	
where a, c, and d			10.2	To utilize	In 15 years, the \$9,000 will have become \$27,000.
the base b is 2, 10,			10.2	appropriate software (word	27,000 = 9,000e ^{xt}
or e; evaluate the logarithm using technology.				processing, spreadsheet,	x is the rate and t = 15. Thus, $27,000 = 9,000^{x-15}$
Connections: ETHS-				database, graphics, etc.)	Divide by 9,000 and get 3 = e ^{15x}
S6C1-03; ETHS-S6C2-03; 11-					$\ln 3 = \ln(^{15x}) = 15x$
12.RST.3					1.09861 = 15x x = .0732
					x = 7.3% interest

Interpret expressions for functions in terms of the situation they model.

<u>Standards</u> Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
HS.F-LE.B.5. Interpret the parameters in a linear or exponential function in terms of a context. Connections: ETHS-S6C1-03; ETHS-S6C2-03;SSHS-S5C5-03; 11-12.WHST.2e	A I A II ★	HS.MP.2. Reason abstractly and quantitatively. HS.MP.4. Model with mathematics.	9.5	To understand the variables in the growth of money and how each variable works	Question 1 Joseph buries \$1,000 in his backyard and deposits \$1,000 in a bank with a 3% simple annual interest. Write an equation that represents the total amount of money he has at time n. Show how the base and vertical shift are displayed in the explicit form of the function. Solution: The variables are as follows: A = Final value of the investment; P = Initial value of the investment; n = number of interest periods in years; r = rate of interest, and k = a constant (e.g. the money Joseph buried). In this case, P = 1,000, r = .03, and k = 1,000 The equation is as follows: A = P(1 +nr) + k Plugging in the above value: A = 1000(1 + .03n) + 1,000 Question 2 In the scenario above: 1. Why is k a constant? 2. What is the original simple interest rate function called when a constant

function? 4. Why is the constant added to the base function? Solution: 1. The \$1,000 buried in the backyard remains constant; it doesn't get interest added to it. 2. The original interest function, A = P(1 + nr) is referred to as the bas 3. By adding the constant to make A = 1000(1+nr) + k, the function is shifted up on the y axis by \$1,000. 4. To show that in this case, \$1,000 was not gathering interest (because).	<u>Standards</u>	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Examples
k is to be added to it? 3. What is the implication of adding the constant k to the simple inte function? 4. Why is the constant added to the base function? Solution: 1. The \$1,000 buried in the backyard remains constant; it doesn't get interest added to it. 2. The original interest function, A = P(1 + nr) is referred to as the bas 3. By adding the constant to make A = 1000(1+nr) + k, the function is shifted up on the y axis by \$1,000. 4. To show that in this case, \$1,000 was not gathering interest (because)	Students are expected to:		Practices	Measurement	Mathematics	
 What is the implication of adding the constant k to the simple inte function? Why is the constant added to the base function? The \$1,000 buried in the backyard remains constant; it doesn't get interest added to it. The original interest function, A = P(1 + nr) is referred to as the bas 3. By adding the constant to make A = 1000(1+nr) + k, the function is shifted up on the y axis by \$1,000. To show that in this case, \$1,000 was not gathering interest (because) 				Criterion	Standard	
function? 4. Why is the constant added to the base function? Solution: 1. The \$1,000 buried in the backyard remains constant; it doesn't get interest added to it. 2. The original interest function, A = P(1 + nr) is referred to as the bas 3. By adding the constant to make A = 1000(1+nr) + k, the function is shifted up on the y axis by \$1,000. 4. To show that in this case, \$1,000 was not gathering interest (because)						k is to be added to it?
 Why is the constant added to the base function? Solution: The \$1,000 buried in the backyard remains constant; it doesn't get interest added to it. The original interest function, A = P(1 + nr) is referred to as the bas 3. By adding the constant to make A = 1000(1+nr) + k, the function is shifted up on the y axis by \$1,000. To show that in this case, \$1,000 was not gathering interest (because) 						3. What is the implication of adding the constant k to the simple interest
 The \$1,000 buried in the backyard remains constant; it doesn't get interest added to it. The original interest function, A = P(1 + nr) is referred to as the bas 3. By adding the constant to make A = 1000(1+nr) + k, the function is shifted up on the y axis by \$1,000. To show that in this case, \$1,000 was not gathering interest (because) 						function?
 The \$1,000 buried in the backyard remains constant; it doesn't get interest added to it. The original interest function, A = P(1 + nr) is referred to as the bas By adding the constant to make A = 1000(1+nr) + k, the function is shifted up on the y axis by \$1,000. To show that in this case, \$1,000 was not gathering interest (because) 						4. Why is the constant added to the base function?
interest added to it. 2. The original interest function, A = P(1 + nr) is referred to as the base and the second of the constant to make A = 1000(1+nr) + k, the function is shifted up on the y axis by \$1,000. 4. To show that in this case, \$1,000 was not gathering interest (because).						Solution:
3. By adding the constant to make A = 1000(1+nr) + k, the function is shifted up on the y axis by \$1,000. 4. To show that in this case, \$1,000 was not gathering interest (because)						The \$1,000 buried in the backyard remains constant; it doesn't get interest added to it.
 3. By adding the constant to make A = 1000(1+nr) + k, the function is shifted up on the y axis by \$1,000. 4. To show that in this case, \$1,000 was not gathering interest (because) 						2. The original interest function, $A = P(1 + nr)$ is referred to as the base.
4. To show that in this case, \$1,000 was not gathering interest (becau						
						shifted up on the y axis by \$1,000.
was buried in the ground) and the other \$1,000 was accruing simp						4. To show that in this case, \$1,000 was not gathering interest (because i
						was buried in the ground) and the other \$1,000 was accruing simple

	Functions: Trigonometric Functions ★ (F-TF) Extend the domain of trigonometric functions using the unit circle.									
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples					
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>						
			<u>Criterion</u>	<u>Standard</u>						
HS.F-TF.A.1. Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle.	A II									

Functions: Trigonometric Functions ★ (F-TF) Extend the domain of trigonometric functions using the unit circle. Mathematical CTE Standard / TRAD **Explanations and Examples** Standards Application of Students are expected to: **Mathematics Practices** Measurement Criterion Standard HS.F-TF.A.2. Explain HS.MP.2. Reason ΑII abstractly and how the unit circle in the coordinate quantitatively. plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle. Connections: ETHS-S1C2-01; 11-12.WHST.2b; 11-12.WHST.2e HS.F-TF.A.3. Use HS.MP.2. Reason special triangles to abstractly and determine quantitatively. geometrically the HS.MP.6. Attend values of sine, to precision. cosine, tangent for π /3. π /4 and π /6. and HS.MP.7. Look for use the unit circle to and make use of express the values structure. of sine, cosine, and tangent for π -x, π +x, and $2\pi - x$ in terms of their values for x,

Functions: Trigon											
Extend the domai	Extend the domain of trigonometric functions using the unit circle.										
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples						
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics							
			<u>Criterion</u>	<u>Standard</u>							
where x is any real											
number.											
Connection: 11-											
12.WHST.2b											
HS.F-TF.A.4. Use the	+	HS.MP.3.									
units circle to		Construct viable									
explain symmetry		arguments and									
(odd and even) and		critique the									
periodicity of		reasoning of									
trigonometric		others.									
functions.		HS.MP.5. Use									
Connections: ETHS-		appropriate tools									
S1C2-01;		strategically.									
11-12.WHST.2c											

Functions: Trigonometric Functions ★ (F-TF) Model periodic phenomena with trigonometric functions.					
Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
HS.F-TF.B.5. Choose trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline.	A II ★	HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.7. Look for			

	Functions: Trigonometric Functions ★ (F-TF) Model periodic phenomena with trigonometric functions.								
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples				
Connection: ETHS- S1C2-01		and make use of structure.							
HS.F-TF.B.6. Understand that restricting a trigonometric function to a domain on which it is always increasing or always decreasing allows its inverse to be constructed. Connections: ETHS-S1C2-01; 11-12.WHST.2e	+								
HS.F-TF.B.7. Use inverse functions to solve trigonometric equations that arise in modeling contexts; evaluate the solutions using technology, and interpret them in terms of the context. Connections: ETHS-S1C2-01; 11-12.WHST.1a	*	HS.MP.2. Reason abstractly and quantitatively. HS.MP.5. Use appropriate tools strategically.							

Functions: Trigon	Functions: Trigonometric Functions ★ (F-TF)								
Prove and apply trigonometric identities.									
<u>Standards</u> Students are expected to:	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to.		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>					
HS.F-TF.C.8. Prove the Pythagorean identity $\sin^2(\theta) + \cos^2(\theta) = 1$ and use it to find $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$ given $\sin(\theta)$, $\cos(\theta)$, or $\tan(\theta)$ and the quadrant of the angle. Connection: 11-12.WHST.1a-1e	AII	HS.MP.3. Construct viable arguments and critique the reasoning of others.	Criterion	<u>Standard</u>					
HS.F-TF.C.9. Prove the addition and subtraction formulas for sine, cosine, and tangent and use them to solve problems. Connection: 11-12.WHST.1a-1e	+	HS.MP.3. Construct viable arguments and critique the reasoning of others.							

Geometry: Congruence (G-CO) Experiment with transformations in the plane.

	Experiment with transformations in the plane.								
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>					
			<u>Criterion</u>	<u>Standard</u>					
HS.G-CO.A.1. Know	G	HS.MP.6. Attend							
precise definitions		to precision.							
of angle, circle,									
perpendicular line,									
parallel line, and line									
segment, based on									
the undefined									
notions of point,									
line, distance along									
a line, and distance									
around a circular									
arc.									
Connection: 9-									
10.RST.4									
HS.G-CO.A.2.	G	HS.MP.5. Use							
Represent	G	appropriate tools							
transformations in		strategically.							
the plane using, e.g.,		Strategically.							
transparencies and									
geometry software;									
describe									
transformations as									
functions that take									
points in the plane									
as inputs and give									
other points as									
outputs. Compare									
transformations that									
preserve distance									
and angle to those									
that do not (e.g.,									

	Geometry: Congruence (G-CO) Experiment with transformations in the plane.								
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples				
translation versus horizontal stretch). Connection: <i>ETHS</i> - <i>S6C1-03</i>									
HS.G-CO.A.3. Given a rectangle, parallelogram, trapezoid, or regular polygons, describe the rotations and reflections that carry it onto itself. Connections: ETHS-S6C1-03; 9-10.WHST.2c	G	HS.MP.3 Construct viable arguments and critique the reasoning of others. HS.MP.5. Use appropriate tools strategically.							
HS.G-CO.A.4. Develop definitions of rotations, reflections, and translations in terms of angles, circles, perpendicular lines, parallel lines, and line segments. Connections: ETHS-S6C1-03; 9-10.WHST.4	G	HS.MP.6. Attend to precision. HS.MP.7. Look for and make use of structure.							
HS.G-CO.A.5. Given a geometric figure	G	HS.MP.3. Construct viable							

Geometry: Congru	Geometry: Congruence (G-CO)								
Experiment with transformations in the plane.									
<u>Standards</u>	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		Practices	Measurement	Mathematics					
			Criterion	Standard					
and a rotation,		arguments and							
reflection, or		critique the							
translation, draw		reasoning of							
the transformed		others.							
figure using, e.g., graph paper, tracing paper, or geometry software. Specify a		HS.MP.5. Use appropriate tools strategically.							
sequence of transformations that will carry a given		HS.MP.7. Look for and make use of structure.							
figure onto another.		structure.							
Connections: ETHS- S6C1-03; 9-10.WHST.3									

Geometry: Congruence (G-CO)

Understand congruence in terms of rigid motions

Understand congruence in terms of rigid motions.									
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics					
			<u>Criterion</u>	<u>Standard</u>					
HS.G-CO.B.6. Use geometric descriptions of rigid motions to transform figures and to predict the effect of a given rigid motion on a given figures, use the definition of congruence in terms of rigid motions to decide if they are congruent. Connections: ETHS-S1C2-01; 9-10.WHST.1e	G	HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.5. Use appropriate tools strategically. HS.MP.7. Look for and make use of structure.	Criterion	Standard					
HS.G-CO.B.7. Use the definition of congruence in terms of rigid motions to show that two triangles are congruent if and only if corresponding pairs of sides and corresponding pairs of angles are congruent.	G	HS.MP.3. Construct viable arguments and critique the reasoning of others.							

Geometry: Congru	Geometry: Congruence (G-CO)								
Understand congruence in terms of rigid motions.									
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics					
			<u>Criterion</u>	<u>Standard</u>					
Connection: 9-									
10.WHST.1e									
HS.G-CO.B.8.	G	HS.MP.3.							
Explain how the		Construct viable							
criteria for triangle		arguments and							
congruence (ASA,		critique the							
SAS, and SSS) follow		reasoning of							
from the definition		others.							
of congruence in									
terms of rigid									
motions.									
Connection: 9-									
10.WHST.1e									

Geometry: Congru	Geometry: Congruence (G-CO)								
Prove geometric t	Prove geometric theorems.								
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>					
			<u>Criterion</u>	<u>Standard</u>					
HS.G-CO.C.9. Prove	G	HS.MP.3.							
theorems about		Construct viable							
lines and angles.		arguments and							
Theorems include:		critique the							
vertical angles are		reasoning of							
congruent; when a		others.							
transversal crosses		HS.MP.5. Use							
parallel lines,									
alternate interior		appropriate tools							
angles are		strategically.							

Geometry: Congruence (G-CO) Prove geometric theorems. TRAD Mathematical CTE Standard / Application of **Explanations and Examples** Standards Students are expected to: **Practices** Measurement **Mathematics** Criterion Standard congruent and corresponding angles are congruent; points on a perpendicular bisector of a line segment are exactly those equidistant from the segment's endpoints. Connections: ETHS-S1C2-01; 9-10.WHST.1a-1e HS.MP.3. **HS.G-CO.C.10.** Prove theorems about Construct viable triangles. *Theorems* arguments and include: measures of critique the interior angles of a reasoning of triangle sum to others. 180°; base angles of HS.MP.5. Use isosceles triangles appropriate tools are congruent; the strategically. segment joining midpoints of two sides of a triangle is parallel to the third side and half the length; the medians of a triangle meet at a point. Connections: ETHS-

Geometry: Congru	Geometry: Congruence (G-CO)								
Prove geometric theorems.									
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples				
S1C2-01; 9-10.WHST.1a-1e									
HS.G-CO.C.11. Prove theorems about parallelograms. Theorems include: opposite sides are congruent, opposite angles are congruent, the diagonals of a parallelogram bisect each other, and conversely, rectangles are parallelograms with congruent diagonals. Connection: 9-10.WHST.1a-1e	G	HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.5. Use appropriate tools strategically.							

Geometry: Congruence (G-CO)

Make geometric constructions.								
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples			
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics				
			<u>Criterion</u>	<u>Standard</u>				
HS.G-CO.D.12. Make formal geometric constructions with a variety of tools and methods (compass and straightedge, string, reflective devices, paper folding, dynamic geometric software, etc.). Copying a segment; copying an angle; bisecting a segment; bisecting an angle; constructing perpendicular lines, including the perpendicular bisector of a line segment; and constructing a line parallel to a given line through a point not on the line. Connection: ETHS-S6C1-03	G	HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision.						
HS.G-CO.D.13. Construct an equilateral triangle, a square, and a regular hexagon inscribed in a circle.	G	HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision.						

Geometry: Congruence (G-CO) Make geometric constructions.							
Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples		
Connection: ETHS- S6C1-03							

Geometry: Similar	Geometry: Similarity, Right Triangles, and Trigonometry (G-SRT)								
Understand simila									
Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement	Application of Mathematics	Explanations and Examples				
		ractices	<u>Criterion</u>	<u>Standard</u>					
HS.G-SRT.A.1. Verify experimentally the properties of dilations given by a center and a scale factor: Connections: ETHS-S1C2-01; 9-10.WHST.1b; 9-10.WHST.1e	G	HS.MP.2. Reason abstractly and quantitatively. HS.MP.5. Use appropriate tools strategically.							
a. Dilation takes a line not passing through the center of the dilation to a parallel line, and leaves a line passing through the center unchanged.	G								
b. The dilation of a line segment is longer or shorter in the ratio given by the scale factor.	G								
HS.G-SRT.A.2. Given two figures, use the definition of similarity in terms of	G	HS.MP.3. Construct viable arguments and critique the							

Geometry: Similarity, Right Triangles, and Trigonometry (G-SRT) Understand similarity in terms of similarity transformations

Understand similarity in terms of similarity transformations.									
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>					
			<u>Criterion</u>	<u>Standard</u>					
similarity transformations to decide if they are similar; explain using similarity transformations the meaning of similarity for triangles as the equality of all corresponding pairs of angles and the proportionality of all corresponding pairs of sides. Connections: ETHS- S1C2-01; 9-10.RST.4; 9- 10.WHST.1c		reasoning of others. HS.MP.5. Use appropriate tools strategically. HS.MP.7. Look for and make use of structure.							
HS.G-SRT.A.3. Use the properties of similarity transformations to establish the AA criterion for two triangles to be similar. Connections: ETHS-S1C2-01; 9-10.RST.7	G	HS.MP.3. Construct viable arguments and critique the reasoning of others.							

	Geometry: Similarity, Right Triangles, and Trigonometry (G-SRT) Prove theorems involving similarity.									
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	<u>Explanations and Examples</u>					
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>						
			<u>Criterion</u>	<u>Standard</u>						
HS.G-SRT.B.4. Prove	G	HS.MP.3.								
theorems about		Construct viable								
triangles. Theorems		arguments and								
include: a line		critique the								
parallel to one side		reasoning of								
of a triangle divides		others.								
the other two		HS.MP.5. Use								
proportionally, and		appropriate tools								
conversely; the		strategically.								
Pythagorean		strategiouny.								
Theorem proved										
using triangle										
similarity.										
Connections: ETHS-										
S1C2-01;										
9-10.WHST.1a-1e										
110 C CDT D 5 11		46.440.2								
HS.G-SRT.B.5. Use	G	HS.MP.3.								
congruence and		Construct viable								
similarity criteria for		arguments and								
triangles to solve problems and to		critique the reasoning of								
problems and to		others.								
in geometric figures.		others.								
		HS.MP.5. Use								
Connections: ETHS-		appropriate tools								
S1C2-01;		strategically.								
9-10.WHST.1a-1e										

Geometry: Similarity, Right Triangles, and Trigonometry (G-SRT) Define trigonometric ratios and solve problems involving right triangles.									
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples				
HS.G-SRT.C.6. Understand that by similarity, side ratios in right triangles are properties of the angles in the triangle, leading to definitions of trigonometric ratios for acute angles. Connection: ETHS-	G		<u>g.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>						
S6C1-03									
HS.G-SRT.C.7. Explain and use the relationship between the sine and cosine of complementary angles.	G								
Connections: ETHS- \$1C2-01; ETHS-\$6C1-03; 9- 10.WHST.1c; 9-10.WHST.1e									
HS.G-SRT.C.8. Use trigonometric ratios and the Pythagorean Theorem to solve right triangles in applied problems.	G ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.4. Model with							

Geometry: Similarity, Right Triangles, and Trigonometry (G-SRT) Define trigonometric ratios and solve problems involving right triangles.								
Define trigonome	tric rati	ios and solve pro	piems involving ri	gnt triangles.				
Standards TRAD Mathematical CTE Standard / Application of Explanations and Examples								
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>				
			<u>Criterion</u>	<u>Standard</u>				
Connections: ETHS-		mathematics.						
S6C2-03; 9-10.RST.7		HS.MP.5. Use appropriate tools strategically.						

Geometry: Circles	Geometry: Circles (G-SRT)								
Apply trigonometry to general triangles.									
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics					
			<u>Criterion</u>	<u>Standard</u>					
HS.G-SRT.D.9. Derive the formula <i>A</i>	+	HS.MP.3. Construct viable							
= $\frac{1}{2}ab \sin(C)$ for the		arguments and							
area of a triangle by		critique the							
drawing an auxiliary		reasoning of							
line from a vertex		others.							
perpendicular to the									
opposite side.		HS.MP.7. Look for							
		and make use of							
Connection: ETHS- S6C1-03		structure.							
HS.G-SRT.D.10.	+	HS.MP.3.							
Prove the Laws of		Construct viable							
Sines and Cosines		arguments and							
and use them to		critique the							
solve problems.		reasoning of							
Connections: ETHS-		others.							
S6C1-03;		HS.MP.4. Model							
		with							

Geometry: Circles (G-SRT) Apply trigonometry to general triangles

Apply trigonometry to general triangles.									
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics					
			<u>Criterion</u>	<u>Standard</u>					
11-12.WHST.1a-1e		mathematics.							
		HS.MP.5. Use appropriate tools strategically.							
		HS.MP.6. Attend to precision.							
		HS.MP.7. Look for and make use of structure.							
		HS.MP.8. Look for and express regularity in repeated reasoning.							
HS.G-SRT.D.11. Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems, resultant forces).	+	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.4. Model with mathematics.							
Connections: 11- 12.WHST.2c; 11-12.WHST.2e									

Geometry: Circles (G-SRT)

Apply trigonometry to general triangles.

<u>Standards</u>	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics	
			<u>Criterion</u>	<u>Standard</u>	
HS.G-SRT.D.11. Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems, resultant forces). Connections: 11-12.WHST.2c; 11-12.WHST.2e	+	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.4. Model with mathematics.			

Geometry: Circles (G-C)

Understand and apply theorems about circles.

<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.G-C.A.1. Prove that all circles are similar. Connections: ETHS-S1C2-01; 9-10.WHST.1a-1e	G	HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.5. Use appropriate tools strategically.			
HS.G-C.A.2. Identify and describe relationships among inscribed angles, radii, and chords. Include the relationship between central, inscribed, and circumscribed angles; inscribed angles on a diameter are right angles; the radius of a circle is perpendicular to the tangent where the radius intersects the circle.	G	HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.5. Use appropriate tools strategically.			
Connections: 9- 10.WHST.1c;					

Geometry: Circles (G-C)

Understand and apply theorems about circles.

	Understand and apply theorems about circles.								
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>					
			<u>Criterion</u>	<u>Standard</u>					
11-12.WHST.1c									
HS.G-C.A.3.	G	HS.MP.3.							
Construct the		Construct viable							
inscribed and		arguments and							
circumscribed circles		critique the							
of a triangle, and		reasoning of							
prove properties of		others.							
angles for a		HS.MP.5. Use							
quadrilateral		appropriate tools							
inscribed in a circle.		strategically.							
HS.G-C.A.4.	+	HS.MP.3.							
Construct a tangent		Construct viable							
line from a point		arguments and critique the							
outside a given circle to the circle.		reasoning of							
		others.							
Connection: ETHS-		ouicis.							
S6C1-03		HS.MP.5. Use							
		appropriate tools							
		strategically.							

Geometry: Circles (G-C)

Find arc lengths and areas of sectors of circles.

Find are lengths a	ring arc lengths and areas of sectors of circles.								
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>					
			<u>Criterion</u>	<u>Standard</u>					
HS.G-C.B.5. Derive using similarity the fact that the length of the arc intercepted by an angle is proportional to the radius, and define the radian measure of the angle as the constant of proportionality; derive the formula for the area of a sector. Connections: ETHS-	G	HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others.							
S1C2-01; 11-12.RST.4									
11-12.1131.4									

Geometry: Expressing Geometric Properties with Equations (G-GPE)

Translate between the geometric description and the equation for a conic section.

Standards					
Standards Students are expected to:	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to.		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.G-GPE.A.1.	G	HS.MP.7. Look for			
Derive the equation		and make use of			
of a circle of given center and radius		structure.			
using the		HS.MP.8. Look for			
Pythagorean		and express			
Theorem; complete		regularity in			
the square to find		repeated reasoning.			
the center and		reasoning.			
radius of a circle					
given by an					
equation.					
Connections: ETHS-					
S1C2-01;					
11-12.RST.4					
HS.G-GPE.A.2.	ΑII	HS.MP.7. Look for			
Derive the equation		and make use of			
of a parabola given a		structure.			
focus and directrix.		HS.MP.8. Look for			
Connections: ETHS-		and express			
S1C2-01;		regularity in			
11-12.RST.4		repeated			
		reasoning.			
HS.G-GPE.A.3.	+	HS.MP.7. Look for			
Derive the equations		and make use of			
of ellipses and		structure.			
hyperbolas given the		HS.MP.8. Look for			
foci, using the fact that the sum or		and express			
difference of		regularity in			
amerence of		repeated			

Geometry: Expressing Geometric Properties with Equations (G-GPE)							
Translate between	Translate between the geometric description and the equation for a conic section.						
Standards TRAD Mathematical CTE Standard / Application of Explanations and Examples							
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>			
			<u>Criterion</u>	<u>Standard</u>			
distances from the		reasoning.					
foci is constant.							
Connections: ETHS-							
S1C2-01; 11-							
12.RST.4							
Connections: ETHS- S1C2-01; 11-							

Standards Students are expected to: TRAD Mathematical Practices Measurement Mathematics Standard Mathematics Mathematics	nations and Examples
HS.G-GPE.B.4. Use coordinates to prove simple geometric theorems algebraically. For example, prove or disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point (1, V3) lies on	
HS.G-GPE.B.4. Use coordinates to prove simple geometric theorems algebraically. For example, prove or disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point (1, V3) lies on	
coordinates to prove simple geometric theorems algebraically. For reasoning of others. Construct viable arguments and critique the reasoning of others.	
simple geometric theorems algebraically. For example, prove or disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point (1, V3) lies on	
theorems algebraically. For example, prove or disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point (1, V3) lies on	
algebraically. For example, prove or disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point (1, V3) lies on	
example, prove or disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point (1, V3) lies on	
disprove that a figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point (1, V3) lies on	
figure defined by four given points in the coordinate plane is a rectangle; prove or disprove that the point (1, V3) lies on	
four given points in the coordinate plane is a rectangle; prove or disprove that the point (1, \(\forall 3 \)) lies on	
the coordinate plane is a rectangle; prove or disprove that the point (1, V3) lies on	
is a rectangle; prove or disprove that the point (1, V3) lies on	
or disprove that the point (1, √3) lies on	
point (1, √3) lies on	
the circle centered	
at the origin and	
containing the point	
(0, 2).	

Geometry: Expres Use coordinates to					
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
\$1C2-01; 9-10.WHST.1a-1e; 11-12.WHST.1a-1e					
HS.G-GPE.B.5. Prove the slope criteria for parallel and perpendicular lines and use them to solve geometric problems (e.g., find the equation of a line parallel or perpendicular to a given line that passes through a given point). Connection: 9-	G	HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.8. Look for and express regularity in repeated reasoning.			
10.WHST.1a-1e HS.G-GPE.B.6. Find the point on a directed line	G	HS.MP.2. Reason abstractly and quantitatively.			
segment between two given points that partitions the segment in a given ratio. Connections: ETHS-S1C2-01; 9-10.RST.3		HS.MP.8. Look for and express regularity in repeated reasoning.			

Geometry: Expressing Geometric Properties with Equations (G-GPE)								
Use coordinates to prove simple geometric theorems algebraically.								
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples			
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics				
			<u>Criterion</u>	<u>Standard</u>				
HS.G-GPE.B.7. Use coordinates to compute perimeters of polygons and areas of triangles and rectangles, e.g., using the distance formula. Connections: ETHS-S1C2-01; 9-10.RST.3; 11-12.RST.3	G ★	HS.MP.2. Reason abstractly and quantitatively. HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision.						

Geometry: Geometric Measurement and Dimension (G-GMD) Explain volume formulas and use them to solve problems.

Explain volume for	<u>ormul</u> as	and use them to	solve problems.		
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.G-GMD.A.1. Give	G	HS.MP.3.			
an informal		Construct viable			
argument for the		arguments and			
formulas for the		critique the			
circumference of a		reasoning of			
circle, area of a		others.			
circle, volume of a		HS.MP.4. Model			
cylinder, pyramid,		with			
and cone. <i>Use</i>		mathematics.			
dissection					
arguments,		HS.MP.5. Use			
Cavalieri's principle,		appropriate tools			
and informal limit		strategically.			
arguments.					
Connections: 9-					
10.RST.4;					
9-10.WHST.1c; 9-					
10.WHST.1e;					
11-12.RST.4; 11-					
12.WHST.1c;					
11-12.WHST.1e					
HS.G-GMD.A.2. Give	+	HS.MP.3.			
an informal		Construct viable			
argument using		arguments and			
Cavalieri's principle		critique the			
for the formulas for		reasoning of			
the volume of a		others.			
sphere and other		LICAAD 4 A4I-I			
solid figures.		HS.MP.4. Model			
_		with			
Connections: 9-		mathematics.			
10.RST.4;					

Geometry: Geome	Geometry: Geometric Measurement and Dimension (G-GMD)							
Explain volume formulas and use them to solve problems.								
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples			
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics				
			<u>Criterion</u>	<u>Standard</u>				
9-10.WHST.1c; 9- 10.WHST.1e; 11-12.RST.4; 11- 12.WHST.1c; 11-12.WHST.1e		HS.MP.5. Use appropriate tools strategically.						
volume formulas for cylinders, pyramids, cones, and spheres to solve problems. Connection: 9-10.RST.4	G ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively.						

<u>Standards</u> Students are expected to:	<u>TRAD</u>	<u>Mathematical</u> <u>Practices</u>	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples	
HS.G-GMD.B.4. Identify the shapes of two-dimensional cross-sections of three-dimensional objects, and identify three-dimensional objects generated by rotations of two-dimensional objects.	G	HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically.				

Geometry: Geometric Measurement and Dimension (G-GMD) Visualize relationships between two-dimensional and three dimensional objects.							
<u>Standards</u> Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples		
Connection: ETHS- S1C2-01							

Geometry: Geometric Measurement and Dimension * (G-MG) Apply geometric concepts in modeling situations

Apply geometric concepts in modeling situations.							
<u>Standards</u> Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples		
HS.G-MG.A.1. Use geometric shapes, their measures, and their properties to describe objects (e.g., modeling a tree trunk or a human torso as a cylinder). Connections: ETHS-S1C2-01; 9-10.WHST.2c	G ★	HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.7. Look for and make use of structure.					
HS.G-MG.A.2. Apply concepts of density based on area and volume in modeling situations (e.g., persons per square mile, BTUs per cubic foot). Connection: ETHS-S1C2-01	G ★	HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.7. Look for and make use of structure.					
HS.G-MG.A.3. Apply geometric methods to solve design problems (e.g., designing an object or structure to satisfy physical constraints or	G ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.4. Model with mathematics.					

Geometry: Geometric Measurement and Dimension ★ (G-MG) Apply geometric concepts in modeling situations.							
Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples		
minimize cost; working with typographic grid systems based on ratios). Connection: ETHS- S1C2-01		HS.MP.5. Use appropriate tools strategically.					

Statistics and Probability: Interpreting Categorical and Quantitative Data★ (S-ID)

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics	
			<u>Criterion</u>	<u>Standard</u>	
HS.S-ID.A.1.	ΑI	HS.MP.4. Model	1.2	To comprehend	Question 1
Represent data with	*	with		how companies	
plots on the real		mathematics.		compete for	As a semester-long fundraiser, DECA and FBLA decided to sell candy. The two
number line (dot		HS.MP.5. Use		market share	clubs took different approaches, with DECA selling the candy for a flat rate, while
plots, histograms,		appropriate tools		using price	FBLA tried different prices in order to maximize profits in the shortest time. They
and box plots).		strategically.			each bought 1000 candy bars at 25 cents each.
Connections: SCHS-		strateBicany.	1.5	To utilize financial	
<i>S1C1-04</i> ;				data to make	DECA sold the candy bars for 75 cents each and sold 100 each day. FBLA sold the
SCHS-S1C2-03;				decisions and	candy for \$1.00 each on the first day and sold 40 bars. The second day, they
SCHS-S1C2-05;				formulate plans	priced the bars at 90 cents each and sold 80 bars. The third day, they sold 90 bars
SCHS-S1C4-02;					at 80 cents each. The fourth day, they sold 160 bars at 70 cents each. The fifth
SCHS-S2C1-04;			0.2	To evaluate	day, they sold 300 bars at 60 cents each. The sixth day, they sold all the rest of
ETHS-S6C2-03; SSHS-			8.2	financial data to	their inventory at 50 cents per bar.
S1C1-04;				determine if financial goals	How much total profit did DECA make at the end of six days?
9-10.RST.7				were met	How much profit did DECA make per day?
				were met	2. How much profit did bleek make per day:
				To utilize	Solution:
			10.2	appropriate	
				software (word	1. \$300
				processing,	2. \$50
				spreadsheet,	
				database,	
				graphics, etc.)	Question 2
					In the scenario above:
					3. How much total profit did FBLA make at the end of six days?
					4. How much average profit did FBLA make each day?
					5. Which group was more successful? Explain.
					6. At what price should FBLA sell their candy to maximize profits over a given time period?

Statistics and Probability: Interpreting Categorical and Quantitative Data★ (S-ID) Summarize, represent, and interpret data on a single count or measurement variable. TRAD | Mathematical CTE Standard / Application of **Explanations and Examples** Standards Students are expected to: **Practices** Measurement **Mathematics** Criterion Standard Create a chart to answer questions 3, 4, 5, and 6. Solution: **NUMBER PROFIT** DAY **PRICE TOTAL PROFIT SOLD PER DAY** 1 \$1.00 40 \$75 \$30.00 2 .90 65 52.00 80 49.50 3 .80 90 55 72.00 4 .70 160 45 5 .60 300 35 105.00 6 .50 330 25 82.50 .75 50 Average 1000 65.17 **TOTAL** \$391.00 3. \$391 4. Divide total profit by number of days: \$391/6 = \$65.16 5. DECA made \$300 in 6 days or \$50 per day. FBLA made \$391. in 6 days or \$65 per day. FBLA was more successful. 6. 60 cents **Question 3**

Statistics and Probability: Interpreting Categorical and Quantitative Data★ (S-ID)

Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
					If FBLA sold candy at their optimum price, how much would they make in 10 days? Represent the data with a graph. Solution:
					TOTAL PROFIT \$150.00 \$100.00 \$50.00 \$50.00 \$50.00 \$50.00 \$0.90 \$0.80 \$0.70 \$0.60 \$0.50 FBLA would make \$1,050.00, more than twice what DECA would make.
HS.S-ID.A.2. Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or	AI ★	HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others.	1.2 1.5 8.2 9.2	To analyze a company's sales data over time to determine profitability	Project Students may use spreadsheets, graphing calculators and statistical software for calculations, summaries, and comparisons of data sets. A company is comparing the weekly sales at two of its stores: Store A - \$25,000, \$23,000, \$11,000, \$31,000, \$15,000, \$9,000, \$25,000, \$14,000, \$18,000

Statistics and Probability: Interpreting Categorical and Quantitative Data★ (S-ID)

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
more different data		HS.MP.4. Model			Store B - \$21,000, \$29,000, \$13,000, \$10,000, \$18,000, \$19,000, \$21,000,
sets.		with			\$17,000, \$11,000
Connections: SCHS-		mathematics.			
S1C3-06;		HS.MP.5. Use			Find the mean, median, mode, interquartile range, and standard deviation for each store.
ETHS-S6C2-03; SSHS-		appropriate tools			each store.
S1C1-01		strategically.			Solution:
		HS.MP.7. Look for			
		and make use of			To begin statistical analysis the weekly sales, covering 9 weeks of both stores, are
		structure.			ranked in order from lowest weekly sales to highest, as follows:
					Store A – 9000, 11000, 14000, 15000, 18000, 23000, 25000, 25000, 31000
					Store B – 10000, 11000, 13000, 17000, 18000, 19000, 21000, 21000, 29000
					Statistics is largely used to analyze data by comparing its center (known as the measure of central tendency) and its spread.
					The mean is found by taking the average of the sales for each store. The formula for determining the mean is:
					$M = \sum x/n$ where $M = mean$, $\sum x = sum$ of total sales, and $n = number$ of weekly sales
					For Store A:
					∑x = 9000 + 11000 + 14000 + 15000 + 18000 + 23000 + 25000 + 25000 + 31000 = 171000
					n = 9 (nine weeks of sales)
					Plugging these values into the formula:

Statistics and Probability: Interpreting Categorical and Quantitative Data★ (S-ID)

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
					M = 171000/9
					Mean = 19000
					For Store B:
					Σx = 10000 + 11000 + 13000 + 17000 + 18000 + 19000 + 21000 + 21000 + 29000 = 159,000
					n = 9 (nine weeks of sales)
					Plugging these values into the formula:
					M = 159000/9
					Mean = 17,667
					Store A's mean (\$19,000) is higher than Store B's mean (\$17,667).
					Median represents the middle statistic in a string of statistics. Again, sales are ranked from lowest to highest. Because there are 9 sales for each, the mean will be the 5 th statistic in order for each store (4 statistics are above and 4 are below, with the 5 th statistic in the middle.
					For Store A:
					9000, 11000, 14000, 15000, 18000, 23000, 25000, 25000, 31000
					For Store B:
					10000, 11000, 13000, 17000, 18000, 19000, 21000, 21000, 29000

Statistics and Probability: Interpreting Categorical and Quantitative Data★ (S-ID)

Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
					For both stores, the median is the same: 18000.
					Mode denotes the most frequently found statistical value found in each string of statistical data. If no value repeats, there is no mode. There can be more than one set of repeaters (e.g. 4, 4, 5, 5, 5, 6), in which case the data that repeats the most (in this case 5) will be the mode. If more than one set of numbers repeat, but to the same degree (e.g. 4, 4, 5, 5, 6), then there would be as many modes as there are repeaters of the same degree (in this case, 4 and 5).
					Store A:
					The statistical value 25,000 is repeated twice, and there are no other repeaters. Therefore the mode for Store A is \$25,000.
					Store B:
					The statistical value 21,000 is repeated twice, and there are no other repeaters. Therefore the mode for Store B is \$21,000.
					Store A therefore has the higher mode, but the central tendency reflected by the mode in both stores is not strong since there are only two repeating statistics in each set of statistical values.
					Interquartile range describes the spread of each set of statistical values. To find the range, the lowest value is subtracted from the highest value and the result is the interquartile range.
					Store A interquartile range:
					25000-15000 = 10000

	Statistics and Probability	: Interpreting	Categorical and (Duantitative Data★	(S-ID)
--	-----------------------------------	----------------	-------------------	---------------------------	--------

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
					Store B interquartile range:
					21000-13000 = 8000
					The standard deviation is a statistic that describes how tightly all the analytical data are clustered around the mean in a set of data. When the examples are bunched together, they form a steep bell-shaped curve on a chart, and this makes the standard deviation small. When the examples are spread apart and the bell curve is relatively flat, there is a relatively large standard deviation. To calculate standard deviation, find the mean of the data set and subtract the mean from each statistical value in the original data set, then square each result. Find their sum and divide that by the population size of the data set and take the square root of the entire result. The formula for this calculation is as follows:
					$\sigma = \sqrt{\frac{\sum (x - \overline{x})^2}{N}}$
					where,
					$\sigma = the \ standard \ deviation$
					$x = each \ value \ in \ the \ population$
					$\overline{x} = the \ mean \ of \ the \ values$
					$N = the \ number \ of \ values \ (the \ population)$
					Store A standard deviation:

Statistics and Probability: Interpreting Categorical and Quantitative Data★ (S-ID)

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
					Start by ordering the statistical data for store A:
					9000, 11000, 14000, 15000, 18000, 23000, 25000, 25000, 31000
					Mean = 19,000 (previously found above)
					Subtract the mean from these statistical values:
					9000 - 19000 = -10,000; 11000 - 19000 = -8000; 14,000 - 19000 = -5000; 15000 - 19000 = -4000; 18000 - 19000 = -1000; 23000 - 19000 = 4000; 25,000 - 19000 = 6000; 25000 - 19000 = 6000; 31000 - 19000 = 12000
					Therefore, the revised statistical values are: - 10,000, - 8000, - 5000, - 4000, - 1000, 4000, 6000, 6000, and 12000.
					Next, square each result and add them together: $(-10,000^2) + (-8000^2) + (-5000^2) + (-4000^2) + (-1000^2) + (4,000^2) + (6000^2) + (6000^2) + (12,000^2) = 48666667$
					Next, divide this result by N, which represents the population (total number of statistical values). $N=9$
					4866667/9 = 5407407.444
					Then take the square root of that result and get:
					√5407407.444= 2325
					Standard deviation for Store A = 2325.
					Store B standard deviation

Statistics and Probability: Interpreting Categorical and Quantitative Data★ (S-ID)

Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
					Start by ordering the statistical data for store B:
					10000, 11000, 13000, 17000 + 18000, 19000, 21000, 21000, 29000
					Mean = 17,667 (previously found above)
					Subtract the mean from these statistical values:
					10000 - 17667 = -7667; 11000 - 17667 = -6667; 13,000 - 17667 = -4667; 17000 - 17667 = -667; 18000 - 17667 = 333; 19000 - 17667 = 1333; 21,000 - 17667 = 3333; 21000 - 17667 = 3333; 29000 - 17667 = 11333
					Therefore, the revised statistical values are: -7667, -6667, -4667, -667, 333, 1333, 3333, and 11333.
					Next, square each result and add them together: $(-7667^2) + (-6667^2) + (-4667^2) + (-667^2) + (333^2) + (3333^2) + (3333^2) + (11333^2) = 278000001$
					Next, divide this result by N, which represents the population (total number of statistical values). $N = 9$
					278000001/9 = 30888889
					Take the square root of that result and get:
					$\sqrt{30888889} = 5558$
					Standard deviation for Store B = 5558
					The standard deviation for Store A is 2325, and for Store B it is 5558. As stated previously the smaller standard deviation (in this case of Store A) is caused by a

Statistics and Probability: Interpreting Categorical and Quantitative Data * (S-ID)

Summarize, represent, and interpret data on a single count or measurement variable.							
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples		
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>			
			<u>Criterion</u>	<u>Standard</u>			
					steeper bell shaped curve of data than for Store B.		
HS.S-ID.A.3. Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers). Connections: SSHS-S1C1-01; ETHS-S6C2-03; 9-10.WHST.1a	AI *	HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.7. Look for and make use of structure.					
HS.S-ID.A.4. Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for	AII ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable					

Statistics and Probability: Interpreting Categorical and Quantitative Data★ (S-ID)

<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
which such a		arguments and			
procedure is not		critique the			
appropriate. Use		reasoning of			
calculators,		others.			
spreadsheets, and tables to estimate areas under the normal curve.		HS.MP.4. Model with mathematics.			
Connections: ETHS- S1C2-01; ETHS-S6C2-03; 11-		HS.MP.5. Use appropriate tools strategically.			
12.RST.7;		HS.MP.6. Attend			
11-12.RST.8; 11-		to precision.			
12.WRT.1b		HS.MP.7. Look for and make use of structure.			
		HS.MP.8. Look for and express regularity in repeated reasoning.			

Statistics and Probability: Interpreting Categorical and Quantitative Data ★ (S-ID)

Summarize, represent, and interpret data on two categorical and quantitative variables.

Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement	Application of Mathematics	Explanati	ions and Examples	i	
			<u>Criterion</u>	<u>Standard</u>				
HS.S-ID.B.5. Summarize categorical data for two categories in two-way frequency cables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and crends in the data. Connections: ETHS- 51C2-01; ETHS-S6C2-03; 11- 12.RST.9; 11-12.WHST.1a-1b; 11-12.WHST.1e	AI ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.8. Look for	2.7 10.2	Standard To differentiate business trends in markets To utilize appropriate software (word processing, spreadsheet, database, graphics, etc.)	Ages 12 ar Ages 13-1: Ages 19-24 Ages 25-29 Ages 30-39 Ages 40-49 Ages 50-59 Ages 60 ar	g is most effective. Ind under: electronic 7: electronic ads 22, 4: electronic ads 28, 9: electronic ads 31, 9: electronic ads 26, 9: electronic ads 20, 9: electronic ads 18, nd over: electronic a Treate a two-way free the age groups and the Age Groups 12 and under 13-17 19-24 25-29	486, print ads 9,114 609, print ads 5,031 402, print ads 10,820 144, print ads 21,715 032, print ads 32,540 ds 12,767, print ads 42 quency table to display neir preferences. Electronic Ads 27,274 22,108 28,486 31,609	,119 ,982 the relationships betw Print Ads
		and express				30-39	26,402	10,820
		regularity in				40-49	20,144	21,715
		repeated				50-59	18,032	32,540
		reasoning.			2. U Solution:	60 and over Ise the data above to	12,767 o create a relative frequ	42,982 nency table.

Statistics and Probability: Interpreting Categorical and Quantitative Data ★ (S-ID) Summarize, represent, and interpret data on two categorical and quantitative variables. TRAD | Mathematical CTE Standard / Application of **Explanations and Examples** Standards Students are expected to: **Mathematics Practices** Measurement Criterion Standard **Age Groups Electronic Ads** Print Ads 12 and under 14.60% .85% 13-17 11.83% 6.48% 19-24 15.25% 6.91% 25-29 16.92% 3.82% 30-39 14.13% 8.21% 40-49 10.78% 16.47% 50-59 9.65% 24.68% 60 and over 6.83% 32.60% HS.S-ID.B.6. HS.MP.2. Reason АΙ Represent data on ΑII abstractly and two quantitative quantitatively. variables on a HS.MP.3. scatter plot, and Construct viable describe how the arguments and variables are critique the related. reasoning of Connections: SCHSothers. S1C2-05; HS.MP.4. Model SCHS-S1C3-01; with ETHS-S1C2-01; mathematics. ETHS-S1C3-01; ETHS-S6C2-03 HS.MP.5. Use appropriate tools a. Fit a function to АΙ strategically. the data: use ΑII HS.MP.7. Look for functions fitted and make use of to data to solve

problems in the

Statistics and Probability: Interpreting Categorical and Quantitative Data ★ (S-ID) Summarize, represent, and interpret data on two categorical and quantitative variables. **Explanations and Examples** TRAD | Mathematical CTE Standard / Application of Standards Students are expected to: **Mathematics Practices** Measurement Criterion Standard context of the structure. data. Use given HS.MP.8. Look for functions or and express chooses a regularity in function repeated suggested by the reasoning. context. **Emphasize** linear, quadratic, and exponential models. Connection: 11-12.RST.7 b. Informally assess АΙ * the fit of a function by plotting and analyzing residuals. Connections: 11-12.RST.7; 11-12.WHST.1b-1c c. Fit a linear АΙ * function for a scatter plot that suggests a linear association.

Connection: 11-12.RST.7

Statistics and Probability: Interpreting Categorical and Quantitative Data ★(S-ID) Interpret linear models.

<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics	
			<u>Criterion</u>	<u>Standard</u>	
HS.S-ID.C.7. Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data. Connections: SCHS- S5C2-01; ETHS-S1C2-01; ETHS-S6C2-03;	AI ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.4. Model with mathematics.			
9-10.RST.4; 9- 10.RST.7; 9-10.WHST.2f		HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision.			
HS.S-ID.C.8. Compute (using technology) and interpret the correlation coefficient of a linear fit. Connections: ETHS-S1C2-01; ETHS-S6C2-03; 11-12.RST.5; 11-12.WHST.2e	AI *	HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.8. Look for and express regularity in repeated reasoning.			

Statistics and Probability: Interpreting Categorical and Quantitative Data ★(S-ID) Interpret linear models. **Mathematical** Standards TRAD CTE Standard / Application of **Explanations and Examples** Students are expected to: Measurement **Mathematics Practices** Criterion Standard HS.S-ID.C.9. HS.MP.3. To demonstrate On the weekend of December 25-27 of 2009, a movie titled Law-Abiding Citizen АΙ 1.5 * was the 31st highest grossing movie of the week. It had been out for 11 weeks. the need for Distinguish between Construct viable correlation and arguments and complete analysis But on that weekend, Law-Abiding Citizen showed an increase in ticket sales of causation. critique the using a number of 58.3%. In fact, nine movies that had been in theaters for multiple weeks defied reasoning of comparative the odds and improved over the previous week. Connection: 9others. ratios 10.RST.9 While it is logical to assume that the holiday weekend was the cause of the HS.MP.4. Model increases, that is not always the case. Three times in the past 10 years, total with ticket sales were down on the holiday weekend compared to the previous mathematics. weekend. Over the past 20 years, the average increase on that weekend was a HS.MP.6. Attend modest 12.5%. to precision. But in 2009, it was 97.5%. It was the year of Avatar, the biggest money-making movie of all time. In what theater owners refer to as "spill-over effect," people flocked to the

1. Does the increase in ticket sales on holiday weekends involve correlation or causation?

theaters, found that *Avatar* was sold out, and just decided to see a different movie. *Blind Side* in its 6th week was up 14.9% and *Where the Wild Things Are*, in

2. Does the increase on the holiday weekend of 2009 because of the *Avatar* spill-over involve correlation or causation?

Solution:

its 11th week, was up 251%.

Correlation. People tend to go to the movies more on holiday weekends, but the holiday does not make them go the movies.

Causation. These people were already at the theater and wanted to see something, so they went to see something else.

Statistics and Probability: Making Inferences and Justifying Conclusions ★ (S-IC) Understand and evaluate random processes underlying statistical experiments. Mathematical Application of TRAD CTE Standard / **Explanations and Examples** Standards Students are expected to: **Mathematics Practices** Measurement Criterion Standard HS.S-IC.A.1. HS.MP.4. Model ΑII \star Understand with statistics as a mathematics. process for making HS.MP.6. Attend inferences to be to precision. made about population parameters based on a random sample from that population. HS.S-IC.A.2. Decide HS.MP.1. Make ΑII \star if a specified model sense of problems is consistent with and persevere in results from a given solving them. data-generating HS.MP.2. Reason process, e.g., using abstractly and simulation. For quantitatively.

example, a model

says a spinning coin will fall heads up

with probability 0.5.

Would a result of 5

tails in a row cause you to question the

Connections: ETHS-

9-10.WHST.2d; 9-

model?

S6C2-03;

10.WHST.2f

HS.MP.3.

critique the

others.

with

reasoning of

HS.MP.4. Model

mathematics.

HS.MP.5. Use

appropriate tools

Construct viable arguments and

Statistics and Pro	Statistics and Probability: Making Inferences and Justifying Conclusions ★ (S-IC)							
Understand and evaluate random processes underlying statistical experiments.								
<u>Standards</u>	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Examples			
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>				
			<u>Criterion</u>	<u>Standard</u>				
		strategically.						
		HS.MP.6. Attend to precision.						
		HS.MP.7. Look for and make use of structure.						
		HS.MP.8. Look for and express regularity in repeated reasoning.						

		•	ces and Justifying						
Make inferences a	Make inferences and justify conclusions from sample surveys, experiments, and observational studies.								
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples				
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics					
			<u>Criterion</u>	<u>Standard</u>					
HS.S-IC.B.3.	ΑII	HS.MP.3.							
Recognize the	*	Construct viable							
purposes of and		arguments and							
differences among		critique the							
sample surveys,		reasoning of							
experiments, and		others.							
observational		HS.MP.4. Model							
studies; explain how		with							
randomization		mathematics.							
relates to each.		mathematics.							
Connections: 11-		HS.MP.6. Attend							

Male information and investigation of the manufacturing control of the manufacturing of the discontinuous and alternational studies
Statistics and Probability: Making Inferences and Justifying Conclusions ★ (S-IC)

			om sample surve	ys, experiments, a	and observational studies.
<u>Standards</u> Students are expected to:	<u>TRAD</u>	<u>Mathematical</u> <u>Practices</u>	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
12.RST.9; 11-12.WHST.2b		to precision.			
HS.S-IC.B.4. Use data from a sample survey to estimate a population mean or proportion; develop a margin of error through the use of simulation models for random sampling. Connections: ETHS-S6C2-03; 11-12.RST.9; 11-12.WHST.1e	A II ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically.	2.7	To determine how research data can provide a basis for decision making.	The formula for margin of error is:
HS.S-IC.B.5. Use data from a randomized	A II ★	HS.MP.1. Make sense of problems and persevere in			

Statistics and Probability: Making Inferences and Justifying Conclusions ★ (S-IC)

Make inferences and justify conclusions from sample surveys, experiments, and observational studies.

Standards	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		Practices	Measurement	Mathematics	
			Criterion	Standard	
experiment to compare two treatments; use simulations to decide if differences between parameters are significant. Connections: ETHS-S6C2-03; 11-12.RST.4; 11-12.RST.5; 11-12.WHST.1e		solving them. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.8. Look for and express regularity in repeated reasoning.			
HS.S-IC.B.6. Evaluate reports based on data. Connections: 11-12.RST.4; 11-12.RST.5; 11-12.WHST.1b; 11-12.WHST.1e	A II ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.4. Model with mathematics.			

<u>Standards</u>	<u>TRAD</u>	Mathematical	CTE Standard /	Application of	Explanations and Examples
tudents are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics	
			<u>Criterion</u>	<u>Standard</u>	
		HS.MP.5. Use appropriate tools strategically.			
		<i>HS.MP.6.</i> Attend to precision.			
		HS.MP.7. Look for and make use of structure.			
		HS.MP.8. Look for and express regularity in repeated			

Statistics and Probability: Conditional Probability and the Rules of Probability * (S-CP) Understand independence and conditional probability and use them to interpret data.						
Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples	
HS.S-CP.A.1. Describe events as subsets of a sample	A II ★	HS.MP.2. Reason abstractly and quantitatively.	2.6 2.7	To determine the best product for a specific market	The manager of a mall is creating the advertising budget for the next quarter. He collects the following data:	
space (the set of outcomes) using characteristics (or categories) of the outcomes, or as		HS.MP.4. Model with mathematics.	10.2	To utilize appropriate software to generate graphs.	On a Saturday afternoon between noon and 1:00 p.m., 222 people entered the Westside Mall. Before they left, 114 attended a movie, 87 ate at the food court, and 79 were approached by the salesperson at the cell phone kiosk. • 72 ate at the food court and attended a movie	
unions,		to precision.		Series are Brahmar	69 saw a movie and were approached by the cell phone salesperson	

Statistics and Probability: Conditional Probability and the Rules of Probability \star (S-0	Statistics a	and Probability:	Conditional	Probability a	and the Rules o	of Probability	★ (S-CP)
---	--------------	------------------	--------------------	---------------	-----------------	----------------	-----------------

Understand independence and conditional probability and use them to interpret data.

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		Practices	Measurement	Mathematics	
			Criterion	Standard	
intersections, or complements of other events ("or," "and," "not"). Connection: 11-12.WHST.2e		HS.MP.7. Look for and make use of structure.			 64 ate at the food court and were approached by the cell phone salesperson 40 ate at the food court, saw a movie, and were approached by the cell phone salesperson 1. What product and/or service should receive the largest share of the advertising budget? Explain. 2. How many people saw a movie but did not eat at the food court? 3. Create a Venn diagram to display the data. Solution: 1. Movie theater. More than half of the people who entered the mall (114 out of 222) went to the movies. A substantial number of the people who went to the movies also ate at the food court (72). 2. 114 (movie) – 72 (movie and food) = 42 3.
HS.S-CP.A.2.	AII	HS.MP.2. Reason			
Understand that two	*	abstractly and			

Statistics and Probability: Conditional Probability and the Rules of Probability * (S-CP) Understand independence and conditional probability and use them to interpret data

Understand indep	endend	ce and conditiona	l probability and i	use them to interp	pret data.
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
events A and B are		quantitatively.			
independent if the		HS.MP.4. Model			
probability of A and B occurring together		with			
is the product of		mathematics.			
their probabilities,		HS.MP.6. Attend			
and use this		to precision.			
characterization to		HS.MP.7. Look for			
determine if they are independent.		and make use of			
•		structure.			
Connection: 11- 12.WHST.1e					
HS.S-CP.A.3.	A II ★	HS.MP.2. Reason			
Understand the conditional	^	abstractly and quantitatively.			
probability of A					
given B as P(A and		<i>HS.MP.4.</i> Model with			
B)/P(B), and		mathematics.			
interpret independence of A		HS.MP.6. Attend			
and B as saying that		to precision.			
the conditional		HS.MP.7. Look for			
probability of A		and make use of			
given B is the same		structure.			
as the probability of A, and the					
conditional					
probability of B					
given A is the same					
as the probability of B.					
D.					

Statistics and Probability: Conditional Probability and the Rules of Probability ★ (S-CP) Understand independence and conditional probability and use them to interpret data. TRAD **Mathematical** CTE Standard / Standards Application of **Explanations and Examples** Students are expected to: Measurement **Mathematics Practices** Criterion Standard Connections: 11-12.RST.5; 11-12.WHST.1e HS.S-CP.A.4. HS.MP.1. Make 2.6 To determine the At a restaurant called Just Enchiladas, all dishes served (or take-out orders) ΑII Construct and \star sense of problems 2.7 best product for a include three enchiladas and nothing else. The owner keeps track of all sales for a specific market interpret two-way and persevere in week and notes the gender of the customer in each case. frequency tables of solving them. 10.2 data when two To utilize The results are: HS.MP.2. Reason categories are appropriate Men abstractly and software (word Beef 240 orders associated with each quantitatively. object being processing, Chicken 154 classified. Use the HS.MP.3. spreadsheet, Cheese 128 Construct viable Combination (of 2 or more types) 48 two-way table as a database, sample space to arguments and graphics, etc.) decide if events are critique the Women independent and to reasoning of Beef 127 orders approximate others. Chicken 148 conditional Cheese 102 HS.MP.4. Model probabilities. For Combination (of 2 or more types) 0 with example, collect mathematics. 1. Create a frequency table. data from a random What is the probability that a man will order cheese enchiladas? sample of students HS.MP.5. Use in your school on appropriate tools What is the probability that a woman will order chicken enchiladas? Does the fact that no women ordered a combination plate during that their favorite subject strategically. among math, week mean that no woman will ever order one? HS.MP.6. Attend science, and English. to precision. Estimate the Solution: HS.MP.7. Look for probability that a and make use of randomly selected 1. student from your structure. Beef Chicken Cheese Combination Total school will favor 154 48 570 Men 240 128 HS.MP.8. Look for science given that

Statistics and Probability: Conditional Probability and the Rules of Probability ★ (S-CP)

Understand independence and conditional probability and use them to interpret data.

Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement	Application of Mathematics	Explanation	ns and l	Examples				
the student is in tenth grade. Do the same for other subjects and compare the results. Connections: ETHS-S6C2-03; 11-12.RST.4; 11-12.RST.9; 11-12.WHST.1e		and express regularity in repeated reasoning.	Criterion	<u>Standard</u>	3. $\frac{14}{37}$	$\frac{.8}{7} = .39$ The mo		% nclude is th	0 48 nat it is very unlik that it will never		nout an
HS.S-CP.A.5. Recognize and explain the concepts of conditional probability and independence in everyday language and everyday situations. For example, compare the chance of having lung cancer if you are a smoker with the chance of being a smoker if you have lung cancer. Connections: 11-12.RST.4;	A II ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.4. Model with mathematics. HS.MP.6. Attend to precision. HS.MP.8. Look for and express regularity in repeated reasoning.	2.7	To determine product liability prior to sales To utilize appropriate software (word processing, spreadsheet, database, graphics, etc.)	1. Wh be 6 2. If th pro 3. If 7 the Solution: 1. $\frac{4}{80}$	4 will be at is the defective ne first 2 bability 95 of the next on $\frac{1}{100} = .00$	defective. probability the? 00 flash drives that the next of	at the first s chosen ar one choser sen work p	flash drive chose re all in working on will be defective roperly, what is t	en from the l order, what i e?	box will s the

Statistics and Probability: Conditional Probability and the Rules of Probability ★ (S-CP) Understand independence and conditional probability and use them to interpret data.							
Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples		
11-12.RST.5;11- 12.WHST.1e					3. $\frac{1}{2} = .5 = 50\%$		

Statistics and Probability: Conditional Probability and the Rules of Probability ★(S-CP) Use the rules of probability to compute probabilities of compound events in a uniform probability model. Mathematical CTE Standard / **Explanations and Examples** Standards TRAD Application of Students are expected to: **Mathematics Practices** Measurement Criterion Standard HS.S-CP.B.6. Find HS.MP.1. Make ΑII * sense of problems the conditional probability of A and persevere in given B as the solving them. fraction of B's HS.MP.4. Model outcomes that also with belong to A, and mathematics. interpret the answer in terms of the HS.MP.5. Use model. appropriate tools strategically. Connections: FTHS-S1C2-01; HS.MP.7. Look for ETHS-S6C2-03; 11and make use of 12.RST.9; structure. 11-12.WHST.1b; 11-12.WHST.1e HS.S-CP.B.7. Apply ΑII HS.MP.4. Model the Addition Rule, with P(A or B) = P(A) +mathematics. P(B) - P(A and B), HS.MP.5. Use and interpret the appropriate tools answer in terms of strategically. the model. HS.MP.6. Attend Connections: ETHSto precision. S1C2-01; HS.MP.7. Look for ETHS-S6C2-03; 11and make use of 12.RST.9 structure. HS.S-CP.B.8. Apply HS.MP.4. Model + \star the general with

Multiplication Rule

Statistics and Probability: Conditional Probability and the Rules of Probability *(S-CP) Use the rules of probability to compute probabilities of compound events in a uniform probability model.

<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
tudents are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
n a uniform		mathematics.			
probability model, P(A and B) = P(A)P(B A) = P(B)P(A B), and		HS.MP.5. Use appropriate tools strategically.			
nterpret the answer n terms of the		HS.MP.6. Attend to precision.			
nodel. Connections: ETHS- C1C2-01; CTHS-S6C2-03; 11- C2.RST.9		HS.MP.7. Look for and make use of structure.			
HS.S-CP.B.9. Use permutations and combinations to compute	*	HS.MP.1. Make sense of problems and persevere in solving them.			
orobabilities of ompound events nd solve problems.		HS.MP.2. Reason abstractly and quantitatively.			
Connections: ETHS- 51C2-01; ETHS-S6C2-03; 11-		HS.MP.4. Model with mathematics.			
2.RST.9		HS.MP.5. Use appropriate tools strategically.			
		HS.MP.7. Look for and make use of structure.			

Statistics and Pro Calculate expecte				ons ★ (S-MD)	
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement	Application of Mathematics	Explanations and Examples
Stadents are expected to		<u>Pructices</u>	<u>Criterion</u>	<u>Standard</u>	
HS.S-MD.A.1. Define a random variable for a quantity of interest by assigning a numerical value to each event in a sample space; graph the corresponding probability distribution using the same graphical displays as for data distributions. Connections: ETHS-S6C2-03; 11-12.RST.5; 11-12.RST.9; 11-12.WHST.1b; 11-12.WHST.1e	+	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision. HS.MP.7. Look for and make use of structure. HS.MP.8. Look for and express regularity in repeated reasoning.			

<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>	
			<u>Criterion</u>	<u>Standard</u>	
HS.S-MD.A.2. Calculate the expected value of a random variable; interpret it as the mean of the probability distribution. Connections: ETHS-S1C2-01; ETHS-S6C2-03; 11-12.RST.3; 11-12.RST.4; 11-12.RST.9	*	HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision. HS.MP.7. Look for and make use of structure.			
HS.S-MD.A.3. Develop a probability distribution for a random variable defined for a sample space in which theoretical probabilities can be calculated; find the expected value. For example, find the theoretical probability distribution for the number of correct answers obtained by guessing on all five	+	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically.			

Statistics and Pro Calculate expecte				ons ★ (S-MD)	
Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples
questions of a multiple-choice test where each question has four choices, and find the expected grade under various grading schemes.		HS.MP.7. Look for and make use of structure.			
Connections: ETHS- S1C2-01; ETHS-S6C2-03; 11- 12.RST.3; 11-12.RST.9; 11- 12.WHST.1b; 11-12.WHST.1e					
HS.S-MD.A.4. Develop a probability distribution for a random variable defined for a sample space in which probabilities are assigned empirically; find the expected value. For example, find a current data distribution on the number of TV sets per household in the United States, and	*	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools			

<u>Standards</u>	TRAD	Mathematical	CTE Standard /	Application of	Explanations and Examples
Students are expected to:		Practices	Measurement	Mathematics	
			Criterion	Standard	
calculate the		strategically.			
expected number of sets per household. How many TV sets would you expect to find in 100 randomly selected households?		HS.MP.7. Look for and make use of structure.			
Connections: ETHS- S1C2-01; ETHS-S6C2-03; 11- 12.RST.9; 11-12.WHST.1b; 11- 12.WHST.1e					

Statistics and Probability: Using Probability to Make Decisions * (S-MD) Use probability to evaluate outcomes of decisions.						
Standards Students are expected to:	<u>TRAD</u>	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples	
HS.S-MD.B.5. Weigh the possible outcomes of a decision by assigning probabilities to payoff values and finding expected values.	*	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively.	1.5 1.6 9.3 10.2	To understand the probabilities associated with decisions (risk vs. reward) To utilize appropriate	 Question 1 In the game of craps, a person rolls the dice. 1. If the player throws a 2, 3 or 12 on the first roll, she loses automatically. What is the probability that the player will lose on her first throw? 2. If the player rolls a 7 or an 11 on the first roll, she wins automatically. What is the probability she will win on the first throw? 	
Connections: SSHS-		HS.MP.3.		software (word	Solution:	

	Statistics and Probability: Using Probability to Make Decisions * (S-MD) Use probability to evaluate outcomes of decisions.							
Standards Students are expected to:	TRAD	I .	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples			
S5C2-03; SSHS-S5C5- 03; SSHS-S5C5-05; ETHS-S1C2-01; ETHS-S6C2-03		Construct viable arguments and critique the reasoning of others.		processing, spreadsheet, database, graphics, etc.)	1. There is a $\frac{1}{9}$ probability that the player will lose on the first roll. There is a $\frac{1}{36}$ probability that she will throw a 2, a $\frac{2}{36}$ probability of throwing a			
		HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically.			3, and a $\frac{1}{36}$ probability of throwing a 12. $\frac{1}{36} + \frac{2}{36} + \frac{1}{36} = \frac{4}{36} = \frac{1}{9}$			
		HS.MP.6. Attend to precision. HS.MP.7. Look for and make use of structure.			The player has a $\frac{2}{9}$ probability of winning on her first throw. $\frac{6}{36} + \frac{2}{36} = \frac{8}{36} = \frac{2}{9}$			
		HS.MP.8. Look for and express regularity in repeated reasoning.			Question 2 Matt is the owner of a business located in South Texas. His insurance agent will insure him against tornados, hurricanes, and monsoon damage at a cost of \$80,000 per year. He does the research and learns that in his area the probability of getting hit by a			

tornado is $\frac{1}{100}$. The probability of getting hit by a hurricane is $\frac{1}{50}$. The

What is the probability of getting hit by any of those in a given year?

probability of monsoon damage is $\frac{1}{25}$.

	Statistics and Probability: Using Probability to Make Decisions * (S-MD) Use probability to evaluate outcomes of decisions.						
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples		
					Solution: The probability of any of those happening is the sum of the probabilities. $\frac{1}{100} + \frac{1}{50} + \frac{1}{25} =$ Find the common denominator. $\frac{1}{100} + \frac{2}{100} + \frac{4}{100} = \frac{7}{100}$		
a. Find the expected payoff for a game of chance. For example, find the expected winnings from a state lottery ticket or a game at a fast-food restaurant.	*						
Connections: 11- 12.RST.3; 11-12.RST.9; 11- 12.WHST.1b; 11-12.WHST.1e							
b. Evaluate and compare strategies on the basis of expected	+						

	Statistics and Probability: Using Probability to Make Decisions * (S-MD) Use probability to evaluate outcomes of decisions.							
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples			
values. For example, compare a high-deductible versus a low-deductible automobile insurance policy using various, but reasonable, chances of having a minor or a major accident. Connections: 11-12.RST.3; 11-12.RST.9; 11-12.WHST.1b; 11-12.WHST.1e								
HS.S-MD.B.6. Use probabilities to make fair decisions (e.g., drawing by lots, using a random number generator). Connections: ETHS-S1C2-01; ETHS-S6C2-03; 11-12.RST.3; 11-12.RST.9; 11-12.WHST.1b; 11-12.WHST.1e	*	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of						

Use probability to			ı	Amaliani' · · · · ·	Fundamentians and Fundaments
Standards Students are expected to:	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	Application of	<u>Explanations and Examples</u>
Students are expected to.		<u>Practices</u>	Measurement Criterion	<u>Mathematics</u> Standard	
		others.	<u>Criterion</u>	<u>Standara</u>	
		HS.MP.4. Model with mathematics.			
		HS.MP.5. Use appropriate tools strategically.			
		HS.MP.7. Look for and make use of structure.			
HS.S-MD.B.7. Analyze decisions and strategies using probability concepts (e.g., product testing, medical testing, pulling a hockey goalie at the end of a game). Connections: ETHS-S1C2-01; ETHS-S6C2-03	+ ★	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically.	2.7 7.7 10.2	To determine the profitability of a product and effects on product reputation To utilize appropriate software (word processing, spreadsheet, database, graphics, etc.)	 Quality Control has determined that 4 of every 800 flash drives a company purchases are defective. Should the company recall the flash drives and remove them from the stores? Explain What is the probability that any one drive is good? If one were to remove the flash drives from the shipment, piece by piece, and stack them up, how many would one have to remove to have a 100% probability that at least one flash drive in the stack is defective? What is the probability that the first 50 one takes out of the box are all good? No. It is not cost effective to recall the drives when only 5% are defective. It is more expensive to remove the drives from the retail stores, re-test them, and ship out the non-defective ones again. It is more cost-effective to replace the defective flash drives when the customers return them to the store. 796/800 = .995 = 99.5%

Statistics and Pro	Statistics and Probability: Using Probability to Make Decisions ★ (S-MD)							
Use probability to evaluate outcomes of decisions.								
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples			
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>				
			<u>Criterion</u>	<u>Standard</u>				
		and make use of			4. (.995) ⁵⁰ = .778 = 77.8%			
		structure.						
					The probability that any one flash drive is good is .995.			
					Then the probability that two flash drives are good is:			
					995 x .995 = .990025 = 99.0025%			

Contemporary Mathematics: Discrete Mathematics ★ (CM-DM)

Understand and apply vertex-edge graph topics.							
<u>Standards</u>	TRAD	<u>Mathematical</u>	CTE Standard /	Application of	Explanations and Examples		
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	Mathematics			
			<u>Criterion</u>	<u>Standard</u>			
AZ.HS.CM-DM.A.1. Study the following topics related to vertex-edge graphs: Euler circuits, Hamilton circuits, the Travelling Salesperson Problem (TSP), minimum weight spanning trees, shortest paths, vertex coloring, and adjacency matrices.	*	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others.					
Connections: ETHS- S6C2-03; 11-12.RST.4; 11- 12.RST.5; 11-12.RST.9; 11- 12.WHST.1b; 11-12.WHST.1e		HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision. HS.MP.7. Look for and make use of structure. HS.MP.8. Look for and express regularity in repeated reasoning.					

Contemporary Mathematics: Discrete Mathematics ★ (CM-DM) Understand and apply vertex-edge graph tonics

Understand and apply vertex-edge graph topics.								
<u>Standards</u>	<u>TRAD</u>	<u>Mathematical</u>	CTE Standard /	<u>Application of</u>	Explanations and Examples			
Students are expected to:		<u>Practices</u>	<u>Measurement</u>	<u>Mathematics</u>				
			<u>Criterion</u>	<u>Standard</u>				
AZ.HS.CM-DM.A.2. Understand, analyze, and apply vertex-edge graphs to model and solve problems related to paths, circuits, networks, and relationships among a finite number of elements, in real- world and abstract settings. Connections: ETHS- S6C2-03; 11-12.RST.9; 11- 12.WHST.1b; 11-12.WHST.1e;	**	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision. HS.MP.7. Look for and make use of structure. HS.MP.8. Look for and express regularity in repeated						

Contemporary Mathematics: Discrete Mathematics ★ (CM-DM) Understand and apply vertex-edge graph topics. TRAD | Mathematical CTE Standard / Application of **Explanations and Examples** Standards Students are expected to: **Practices** Measurement **Mathematics** Criterion Standard reasoning. AZ.HS.CM-DM.A.3. HS.MP.1. Make \star Devise, analyze, and sense of problems apply algorithms for and persevere in solving vertex-edge solving them. graph problems. HS.MP.2. Reason abstractly and Connections: ETHS-S6C2-03; quantitatively. 11-12.RST.3; 11-HS.MP.3. 12.RST.4; Construct viable 11-12.RST.9; 11arguments and 12.WHST.1a; critique the 11-12.WHST.1b; 11reasoning of 12.WHST.1e others. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision.

HS.MP.7. Look for and make use of structure.

HS.MP.8. Look for and express regularity in

Contemporary Mathematics: Discrete Mathematics ★ (CM-DM)							
Understand and a			_				
Standards Students are expected to:	TRAD	Mathematical Practices	CTE Standard / Measurement Criterion	Application of Mathematics Standard	Explanations and Examples		
		repeated reasoning					
AZ.HS.CM-DM.A.4. Extend work with adjacency matrices for graphs, such as interpreting row sums and using the nth power of the adjacency matrix to count paths of length n in a graph. Connections: ETHS-S6C2-03; 11-12.RST.4; 11-12.RST.5; 11-12.WHST.1a; 11-12.WHST.1b; 11-12.WHST.1e	**	HS.MP.1. Make sense of problems and persevere in solving them. HS.MP.2. Reason abstractly and quantitatively. HS.MP.3. Construct viable arguments and critique the reasoning of others. HS.MP.4. Model with mathematics. HS.MP.5. Use appropriate tools strategically. HS.MP.6. Attend to precision. HS.MP.7. Look for and make use of structure. HS.MP.8. Look for and express					

Contemporary Mathematics: Discrete Mathematics ★ (CM-DM) Understand and apply vertex-edge graph topics.						
Standards TRAD Mathematical Practices CTE Standard / Measurement Application of Mathematics Explanations and Examples						
stadents are expected to		<u>Practices</u>	Measurement Criterion	Standard		
		regularity in repeated reasoning.				